




Megaspel d.o.o.
www.megaspel.hr
info@megaspel.hr

T: +385 42 303 933
M: +385 99 223 2300

KATALOG

STEZNA I MONTAŽNA TEHNIKA

2017 / 2018



VIJCI:

Svih vrsta i materijala: čelika čvrstoće 5.8, 8.8, 10.9, 12.9, nehrđajućeg čelika Tipa A2 i A4 (Prokron, INOX, Rostfrei), mesinga. Udesni vijci (DIN 933), matični (DIN 931), uvrtni (DIN 913,914,915, 916), inbus vijci (DIN 912, 7984, 7991), vijci za lim: samourezni, samobušeci (DIN 7976, 7981, 7982, 7504), vijci za drvo (DIN 95, 96, 97, 571,), iveri, hangar vijci torban vijci (DIN 603), vijci s cilindričnom ili upuštenom glavom (DIN 963, 965, 966, 84, 7985), očni vijci, strojni i dvostrani vijci, vijci za plug, navojne šipke, leptir vijci, natezni vijci („španeri“) Vijci engleskih (američkih) colnih mjera INC i UNF (fini colni navoj).

MATICE:

Svih vrsta i materijala čvrstoće 8, 10 i 12, INOX-a, mesinga. Šesterokutne matice: normalne i niske, s finim navojem, stop matice s plastičnim umetkom, klobučaste, zatvorene, krunaste, spojne, matice s okom, krilne, Unit i Trio matice

PODLOŠKE:

Svih vrsta i materijala. Obične (DIN 125), široke (DIN 9021), karoserijske, opružne (DIN 127), četverokutne, osiguravajuće s jednim ili dva pera, zupčaste, Nord-lock, Neopren podloška.

ZAKOVICE:

Obične s poluokruglom glavom, upuštenom glavom ili niskom glavom od čelika, aluminija ili bakra, svih dimenzija. Blok (Pop) zakovice svih dimenzija od čelika aluminija i bakra.

TIPLI:

Svih vrsta za sve vrste zidova ili podloga. Plastični (Naylon) tipli, za šuplju opeku, za Knauf, sidreni (Anker) vijci, čelični tipli, puž tipli za kanuf, udarni tipli.

ČAVLI:

Građevinski dim. od 1×10 do 8×300, kolarski, tapetarski, ljepenkari Fe, pocinčani, bakreni, uvijeni čavli, čelični čavli za beton, U-čavli, L-čavli, mesingani čavlići.

PVC ROBA :

Čepovi za cijevi: okrugle, kvadratne i pravokutne, kapice za metričke i iver vijke, PVC vezice za kablove, ručice vijak i matica, nivelir vijci.

OSTALA VIJČANA ROBA:


Klinovi, rascjepke, uskočnici (Seegeri) vanjski i unutarnji, stezači sajle, elastični zatici, cilindrični zatici, žičani (Beta) osigurači, kuke raznih vrsta, bakrene brtve, obujmice: žičane, pužne i PVC za kablove, BIT-ovi, , škopci, karabineri, brze spojnice lanca, mazalice, perforirane trake.

Konusni klin – oblik B

Fe


ISO 2339

DIN 1




M/L	1,5	2	3	4	5	6	7	8	10	12	14	16
6	▪	▪	▪	▪								
8	▪	▪	▪	▪								
10	▪	▪	▪	▪	▪	▪						
12	▪	▪	▪	▪	▪	▪						
14	▪	▪	▪	▪	▪	▪						
16	▪	▪	▪	▪	▪	▪						
18	▪	▪	▪	▪	▪	▪						
20	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
22	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
24	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
26	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
28	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
30		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
32		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
36		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
40		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
45		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
50			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
55			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
60			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
65			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
70			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
80			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
90			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
100						▪	▪	▪	▪	▪	▪	▪
110						▪	▪	▪	▪	▪	▪	▪
120						▪	▪	▪	▪	▪	▪	▪
130							▪	▪	▪	▪	▪	▪
140							▪	▪	▪	▪	▪	▪
150							▪	▪	▪	▪	▪	▪

Cilindrični zatik	Fe	
	ISO 2338	DIN 7



M/L	1,5	2	3	4	5	6	7	8	10	12	14	16
6	■	■	■	■								
8	■	■	■	■								
10	■	■	■	■	■	■						
12	■	■	■	■	■	■						
14	■	■	■	■	■	■						
16	■	■	■	■	■	■						
18	■	■	■	■	■	■						
20	■	■	■	■	■	■	■	■	■	■	■	■
22	■	■	■	■	■	■	■	■	■	■	■	■
24	■	■	■	■	■	■	■	■	■	■	■	■
26	■	■	■	■	■	■	■	■	■	■	■	■
28	■	■	■	■	■	■	■	■	■	■	■	■
30		■	■	■	■	■	■	■	■	■	■	■
32		■	■	■	■	■	■	■	■	■	■	■
36		■	■	■	■	■	■	■	■	■	■	■
40		■	■	■	■	■	■	■	■	■	■	■
45		■	■	■	■	■	■	■	■	■	■	■
50			■	■	■	■	■	■	■	■	■	■
55			■	■	■	■	■	■	■	■	■	■
60			■	■	■	■	■	■	■	■	■	■
65			■	■	■	■	■	■	■	■	■	■
70			■	■	■	■	■	■	■	■	■	■
80			■	■	■	■	■	■	■	■	■	■
90			■	■	■	■	■	■	■	■	■	■
100						■	■	■	■	■	■	■
110						■	■	■	■	■	■	■
120						■	■	■	■	■	■	■
130							■	■	■	■	■	■
140							■	■	■	■	■	■
150							■	■	■	■	■	■

Vijak sa cilindričnom glavom	Fe,Zn	
	INOX A2, A4, Mesing	
	ISO 1207	DIN 84



d1	2	2,5	3	4	5	6	8	10	12
d2	3,8	4,5	5,5	7,0	8,5	10	13	16	16
k	1,3	1,6	2,0	2,6	3,3	3,9	5,0	6,0	7
n	0,5	0,6	0,8	1,0	1,2	1,6	2,0	2,5	2,5
t min	0,6	0,7	0,9	1,2	1,5	1,8	2,1	2,4	2,4

M/L	2	2,5	3	4	5	6	8	10	12
4	▪	▪	▪	▪	▪	▪	▪	▪	▪
5	▪	▪	▪	▪	▪	▪	▪	▪	▪
6	▪	▪	▪	▪	▪	▪	▪	▪	▪
7	▪	▪	▪	▪	▪	▪	▪	▪	▪
8	▪	▪	▪	▪	▪	▪	▪	▪	▪
10	▪	▪	▪	▪	▪	▪	▪	▪	▪
12	▪	▪	▪	▪	▪	▪	▪	▪	▪
14	▪	▪	▪	▪	▪	▪	▪	▪	▪
16	▪	▪	▪	▪	▪	▪	▪	▪	▪
18	▪	▪	▪	▪	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪	▪	▪	▪	▪
22	▪	▪	▪	▪	▪	▪	▪	▪	▪
25	▪	▪	▪	▪	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪	▪	▪	▪	▪
35	▪	▪	▪	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪	▪	▪	▪
45	▪	▪	▪	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪	▪	▪	▪
55	▪	▪	▪	▪	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪	▪	▪	▪	▪
65	▪	▪	▪	▪	▪	▪	▪	▪	▪
70	▪	▪	▪	▪	▪	▪	▪	▪	▪
75	▪	▪	▪	▪	▪	▪	▪	▪	▪
80	▪	▪	▪	▪	▪	▪	▪	▪	▪
90	▪	▪	▪	▪	▪	▪	▪	▪	▪
100	▪	▪	▪	▪	▪	▪	▪	▪	▪


Vijak sa poluokruglom cilindričnom glavom

Fe,Zn

INOX, A2, A4, Mesing


ISO 1580

DIN 85 A



M/L	2	2,5	3	4	5	6	8	10	12
4	▪	▪	▪	▪	▪	▪	▪	▪	▪
5	▪	▪	▪	▪	▪	▪	▪	▪	▪
6	▪	▪	▪	▪	▪	▪	▪	▪	▪
7	▪	▪	▪	▪	▪	▪	▪	▪	▪
8	▪	▪	▪	▪	▪	▪	▪	▪	▪
10	▪	▪	▪	▪	▪	▪	▪	▪	▪
12	▪	▪	▪	▪	▪	▪	▪	▪	▪
14	▪	▪	▪	▪	▪	▪	▪	▪	▪
16	▪	▪	▪	▪	▪	▪	▪	▪	▪
18	▪	▪	▪	▪	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪	▪	▪	▪	▪
22	▪	▪	▪	▪	▪	▪	▪	▪	▪
25	▪	▪	▪	▪	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪	▪	▪	▪	▪
35	▪	▪	▪	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪	▪	▪	▪
45	▪	▪	▪	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪	▪	▪	▪
55	▪	▪	▪	▪	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪	▪	▪	▪	▪
65	▪	▪	▪	▪	▪	▪	▪	▪	▪
70	▪	▪	▪	▪	▪	▪	▪	▪	▪
75	▪	▪	▪	▪	▪	▪	▪	▪	▪
80	▪	▪	▪	▪	▪	▪	▪	▪	▪
90	▪	▪	▪	▪	▪	▪	▪	▪	▪
100	▪	▪	▪	▪	▪	▪	▪	▪	▪

Podloška s perom	Fe,Zn	
	-	DIN 93




	d1	d2	Zn
5	5,3	17	▪
6	6,4	19	▪
8	8,4	22	▪
10	10,5	26	▪
12	13	30	▪
14	15	33	▪
16	17	36	▪
18	19	40	▪
20	21	42	▪
22	23	50	▪
24	25	50	▪
27	28	58	▪
30	31	63	▪
33	34	68	▪
36	37	75	▪
39	40	82	▪
42	43	88	▪
45	46	95	▪
48	50	100	▪
52	54	105	▪

Rascjepka

Zn, INOX A2, A4

ISO 1234


DIN 94



d1	1	1,6	2	2,5	3,2	4	5	6,3	8	10	12	13	16
b	3	3,2	4	5	6,4	8	10	12,5	16	20		26	32
c	1,8	2,8	3,6	4,6	5,8	7,4	9,2	11,8	15	19		24,8	30,8

d/l	1	1,6	2	2,5	3,2	4	5	6,3	8	10	12	13	16
6	▪	▪	▪	▪	▪	▪	▪						
8	▪	▪	▪	▪	▪	▪	▪						
10	▪	▪	▪	▪	▪	▪	▪						
12	▪	▪	▪	▪	▪	▪	▪						
14	▪	▪	▪	▪	▪	▪	▪						
16	▪	▪	▪	▪	▪	▪	▪						
18	▪	▪	▪	▪	▪	▪	▪						
20	▪	▪	▪	▪	▪	▪	▪						
22	▪	▪	▪	▪	▪	▪	▪						
25	▪	▪	▪	▪	▪	▪	▪						
28	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪			
32	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪			
36	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪			
40	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪			
45	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
56			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
63					▪	▪	▪	▪	▪	▪	▪	▪	▪
71					▪	▪	▪	▪	▪	▪	▪	▪	▪
80						▪	▪	▪	▪	▪	▪	▪	▪
90						▪	▪	▪	▪	▪	▪	▪	▪
100						▪	▪	▪	▪	▪	▪	▪	▪
113								▪	▪	▪	▪	▪	▪
120								▪	▪	▪	▪	▪	▪
125								▪	▪	▪	▪	▪	▪
130								▪	▪	▪	▪	▪	▪
140								▪	▪	▪	▪	▪	▪
160								▪	▪	▪	▪	▪	▪
180								▪	▪	▪	▪	▪	▪


Vijak za drvo	Zn, Mesing	
	-	DIN 95



d1	2,5	3	3,5	4	4,5	5	6	8
d2	4,7	5,6	6,5	7,5	8,3	9,2	11	14,5
n	0,6	0,8	0,8	1	1	1,2	1,6	2
k	1,5	1,65	1,93	2,2	2,35	2,5	3	4

d1/l	2,5	3	3,5	4	4,5	5	6	8
10	▪	▪	▪	▪	▪	▪	▪	▪
12	▪	▪	▪	▪	▪	▪	▪	▪
16	▪	▪	▪	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪	▪	▪	▪
25	▪	▪	▪	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪	▪	▪	▪
35	▪	▪	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪	▪	▪
45	▪	▪	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪	▪	▪
55	▪	▪	▪	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪	▪	▪	▪
70	▪	▪	▪	▪	▪	▪	▪	▪
80	▪	▪	▪	▪	▪	▪	▪	▪
90	▪	▪	▪	▪	▪	▪	▪	▪
100	▪	▪	▪	▪	▪	▪	▪	▪
120	▪	▪	▪	▪	▪	▪	▪	▪


Vijak za drvo	Zn, Mesing	
	-	DIN 96



d1	2,5	3	3,5	4	4,5	5	6	8
d2	5	6	7	8	9	10	12	16
n	0,6	0,8	0,8	1	1	1,2	1,6	2
k	1,7	2,1	2,4	2,8	3,1	3,5	4,2	5,6

d1/l	2,5	3	3,5	4	4,5	5	6	8
10	▪	▪	▪	▪	▪	▪	▪	▪
12	▪	▪	▪	▪	▪	▪	▪	▪
16	▪	▪	▪	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪	▪	▪	▪
25	▪	▪	▪	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪	▪	▪	▪
35	▪	▪	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪	▪	▪
45	▪	▪	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪	▪	▪
55	▪	▪	▪	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪	▪	▪	▪
70	▪	▪	▪	▪	▪	▪	▪	▪
80	▪	▪	▪	▪	▪	▪	▪	▪
90	▪	▪	▪	▪	▪	▪	▪	▪
100	▪	▪	▪	▪	▪	▪	▪	▪
120	▪	▪	▪	▪	▪	▪	▪	▪


Vijak za drvo	Zn, Mesing	
	-	DIN 97



d1	2,5	3	3,5	4	4,5	5	6	8
d2	5	6	7	8	9	10	12	16
n	0,6	0,8	0,8	1	1	1,2	1,6	2
k	1,7	2,1	2,4	2,8	3,1	3,5	4,2	5,6


d1/l	2,5	3	3,5	4	4,5	5	6	8
10	■	■	■	■	■	■	■	■
12	■	■	■	■	■	■	■	■
16	■	■	■	■	■	■	■	■
20	■	■	■	■	■	■	■	■
25	■	■	■	■	■	■	■	■
30	■	■	■	■	■	■	■	■
35	■	■	■	■	■	■	■	■
40	■	■	■	■	■	■	■	■
45	■	■	■	■	■	■	■	■
50	■	■	■	■	■	■	■	■
55	■	■	■	■	■	■	■	■
60	■	■	■	■	■	■	■	■
70	■	■	■	■	■	■	■	■
80	■	■	■	■	■	■	■	■
90	■	■	■	■	■	■	■	■
100	■	■	■	■	■	■	■	■
120	■	■	■	■	■	■	■	■

Podloška	Fe,Zn, Mesing	
	INOX A2, A4	
	ISO 7089	DIN 125




	d1	d2	s	cijena
A 3	3,2	7	0,5	▪
A 4	4,3	9	0,8	▪
A 5	5,3	10	1	▪
A 6	6,4	12,5	1,6	▪
A 7	7,4	14	1,6	▪
A 8	8,4	17	1,6	▪
A 10	10,5	21	2	▪
A 12	13	24	2,5	▪
A 14	15	28	2,5	▪
A 16	17	30	3	▪
A 18	19	34	3	▪
A 20	21	37	3	▪
A 22	23	39	3	▪
A 24	25	44	4	▪
A 27	28	50	4	▪
A 30	31	56	4	▪
A 33	34	60	5	▪
A 36	37	66	6	▪
A 39	40	72	6	▪
A 42	43	78	7	▪
A 45	46	85	7	▪
A 48	50	92	8	▪
A 52	54	98	8	▪
A 55	58	105	9	▪
A 60	62	110	9	▪

Podloška	Fe,Zn, Mesing	
	INOX A2, A4	
	ISO 7091	DIN 126




	d1	d2	s	cijena
A 5	5,5	10	1	▪
A 6	6,6	12,5	1,6	▪
A 8	9	17	1,6	▪
A 10	11	21	2	▪
A 12	14	24	2,5	▪
A 16	18	30	3	▪
A 20	22	37	3	▪
A 22	24	39	3	▪
A 24	26	44	4	▪
A 27	30	50	4	▪
A 30	33	56	4	▪
A 33	36	60	5	▪
A 36	39	66	5	▪
A 39	42	72	6	▪
A 42	45	78	7	▪
A 45	48	85	7	▪
A 48	52	92	8	▪
A 52	56	98	8	▪
A 56	62	105	9	▪
A 60	66	110	9	▪
A 64	70	115	9	▪
A 72	78	125	10	▪
A 80	86	140	12	▪
A 90	96	160	12	▪

Podloška opružna	Zn, Mesing	
	INOX A2, A4	
	-	DIN 127




	d1	d2	s	cijena
A 3	3,1	6,2	0,8	▪
A 4	4,1	7,6	0,9	▪
A 5	5,1	9,2	1,2	▪
A 6	6,1	11,8	1,6	▪
A 7	7,1	12,8	1,6	▪
A 8	8,1	14,8	2,0	▪
A 10	10,2	18,1	2,2	▪
A 12	12,2	21,1	2,5	▪
A 14	14,2	24,1	3,0	▪
A 16	16,2	27,4	3,5	▪
A 18	18,2	29,4	3,5	▪
A 20	20,2	33,6	4,0	▪
A 22	22,5	35,9	4,0	▪
A 24	24,5	40,0	5,0	▪
A 27	27,5	43,0	5,0	▪
A 30	30,5	48,2	6,0	▪
A 33	33,5	55,2	6,0	▪
A 36	36,5	58,2	6,0	▪
A 39	39,5	61,2	6,0	▪
A 42	42,5	68,2	7,0	▪
A 45	45,5	71,2	7,0	▪
A 48	49,0	75,0	7,0	▪
A 52	53,0	83,0	8,0	▪

Podloška valovita	Zn, Mesing	
	INOX A2, A4	
	-	DIN 128



	d1	d2	h	s	cijena
A 3	3,1	6,2	1,1	0,7	▪
A 4	4,1	7,6	1,2	0,8	▪
A 5	5,1	9,2	1,5	1,0	▪
A 6	6,1	11,5	2,0	1,3	▪
A 8	8,2	14,9	2,5	1,6	▪
A 10	10,2	18,1	2,9	1,8	▪
A 12	12,2	21,1	3,4	2,1	▪

Podloška valovita	Zn, Mesing	
	INOX A2, A4	
	-	DIN 137




OBLIK A

OBLIK B

	OBLIK A				OBLIK B			
	d1	d2	h	s	d2	h	s	cijena
A 3	3,2	6,0	0,7	0,4	8,0	0,8	0,5	▪
A 4	4,3	8,0	0,8	0,5	9,0	1,0	0,5	▪
A 5	5,3	10,0	0,9	0,5	11,0	1,1	0,5	▪
A 6	6,4	11,0	1,0	0,5	12,0	1,3	0,5	▪
A 8	8,4	15,0	1,7	0,5	15,0	1,5	0,8	▪
A 10	10,5	18,0	2,0	0,8	21,0	2,1	1,0	▪
A 12	13,0				24,0	2,5	1,2	▪
A 14	15,0				28,0	3,0	1,6	▪
A 16	17,0				30,0	3,2	1,6	▪
A 18	19,0				34,0	3,3	1,6	▪
A 20	21,0				36,0	3,7	1,6	▪
A 22	23,0				40,0	3,9	1,8	▪
A 24	25,0				44,0	4,1	1,8	▪
A 27	28,0				50,0	4,7	2,0	▪
A 30	31,0				56,0	5,0	2,2	▪


T - vijak	Fe,Zn - 5.8	
	-	DIN 186



d1		8	10	12	16	20	24	27	30
b	1)	22	26	30	38	46	54	60	66
	2)	28	32	36	44	52	60	66	72
	3)	41	45	49	57	65	73	79	85
k		5,5	7	8	10,5	13	15	17	19
s		8	10	12	16	20	24	27	30
a		18	21	26	30	36	43	48	54


M/l	8	10	12	16	20	24	27	30
30	▪	▪	▪	▪	▪	▪	▪	▪
35	▪	▪	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪	▪	▪
45	▪	▪	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪	▪	▪
55	▪	▪	▪	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪	▪	▪	▪
70	▪	▪	▪	▪	▪	▪	▪	▪
80	▪	▪	▪	▪	▪	▪	▪	▪
100	▪	▪	▪	▪	▪	▪	▪	▪
120	▪	▪	▪	▪	▪	▪	▪	▪
160	▪	▪	▪	▪	▪	▪	▪	▪
200	▪	▪	▪	▪	▪	▪	▪	▪

Matica KRILNA	Zn,	
	INOX A2, A4	
	-	DIN 315




d	d1	e	g	h	cijena
M 3	6,8	15,3	1,2	7,2	▪
M 4	8	17,6	1,6	8,6	▪
M 5	10,3	22,5	2,1	11	▪
M 6	12,7	27,8	2,5	13,6	▪
M 8	13,8	30,3	2,8	14,8	▪
M 10	16,5	36,2	3,3	17,7	▪
M 12	22,5	49,4	4,5	24,1	▪
M 14	26	52,7	6	32	▪
M 16	26,6	58,3	6,3	33	▪
M 20	30,3	66,5	7,2	31,2	▪

Matica KRILNA američka forma	Zn,	
	INOX A2, A4	
	-	DIN 315



d1	d2	e	h	cijena
M 4	8	20	10,5	▪
M 5	11	26	13	▪
M 6	13	33	17	▪
M 8	16	39	20	▪
M 10	20	51	25	▪
M 12	23	65	33,5	▪


Vijak KRILNI	Zn	
	INOX A2, A4	
	-	DIN 316



d1	3	4	5	6	8	10	12
h	6,5	8,5	11	15	18	23	31
d2	5	6	8	10	13	17	20
e	13	18	24	30	36	48	62

M/I	3	4	5	6	8	10	12
10	▪	▪	▪	▪	▪	▪	▪
12	▪	▪	▪	▪	▪	▪	▪
16	▪	▪	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪	▪	▪
25	▪	▪	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪	▪	▪
35	▪	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪	▪	▪


Vijak	Zn	
	-	DIN 404



d1	3	4	5	6
b max	19,0	22,0	25,0	28,0
d2	5,5	7,0	8,5	10,0
d 3	1,5	2,0	2,5	3,0
k	4,0	5,0	6,5	8,0
n	0,8	1,0	1,2	1,6
t	1,0	1,4	1,7	2,2
e	1,5	2,0	2,5	3,0


M/I	3	4	5	12
6	▪	▪	▪	▪
8	▪	▪	▪	▪
10	▪	▪	▪	▪
12	▪	▪	▪	▪
16	▪	▪	▪	▪
20	▪	▪	▪	▪
30	▪	▪	▪	▪

Vijak UVRTNI	Fe,Zn	
	INOX A2, A4	
	ISO 7435	DIN 417




	M 3	M 4	M 5	M 6	M 8	M 10	M 12
d	1,5	2,0	2,5	3,0	4,0	5,0	6,0
L	-						
4	▪	▪	▪	▪	▪	▪	▪
6	▪	▪	▪	▪	▪	▪	▪
8	▪	▪	▪	▪	▪	▪	▪
10	▪	▪	▪	▪	▪	▪	▪
12	▪	▪	▪	▪	▪	▪	▪
16	▪	▪	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪	▪	▪
25	▪	▪	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪	▪	▪
35	▪	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪	▪

Podloška osiguravajuća sa nosom na obodu	Fe,Zn	
	INOX A2, A4	
	-	DIN 432




	d1	d2	f	g	s	cljena
A 6	6,4	19	3,5	7,5	1	▪
A 8	8,4	22	3,5	8,5	1,6	▪
A 10	10,5	26	4,5	10	1,6	▪
A 12	13	30	4,5	12	1,6	▪
A 14	15	33	4,5	13	1,6	▪
A 16	17	36	5,5	15	1,6	▪
A 18	19	40	6,5	18	1,6	▪
A 20	21	42	6,5	18	1,6	▪
A 24	25	50	7,5	21	1,6	▪
A 27	28	58	8,5	23	2	▪
A 30	31	63	8,5	25	2	▪
A 36	37	75	11	31	2	▪
A 39	40	82	11	33	2	▪
A 42	43	88	11	36	2	▪
A 45	46	95	13	38	2	▪
A 48	50	100	13	40	2	▪
A 52	54	105	13	42	2	▪
A 56	58	112	15	48	2	▪
A 60	62	112	15	48	2	▪
A 64	66	125	16	52	2	▪

Podloška	Fe,Zn	
	INOX A2, A4	
	ISO 7092	DIN 433




	d1	d2	s	cljena
A 3	3,2	6	0,5	▪
A 4	4,3	8	0,5	▪
A 5	5,3	9	1	▪
A 6	6,4	11	1,6	▪
A 8	8,4	15	1,6	▪
A 10	10,5	18	1,6	▪
A 12	13	20	2	▪
A 14	15	24	2,5	▪
A 16	17	28	2,5	▪
A 18	19	30	2,5	▪
A 20	21	34	3	▪
A 24	25	39	4	▪

Podloška kosa za «U» nosač nagib 8 %	Fe,Zn,VZn	
	INOX A2, A4	
	-	DIN 434




	d	a	b	e	h	cjena
A 8	9,0	22,0	22,0	2,9	3,8v	▪
A 10	11,0	22,0	22,0	2,9	3,8	▪
A 12	14,0	26,0	30,0	3,7	4,9	▪
A 14	16,0	29,0	33,0	4,0	5,4	▪
A 16	18,0	32,0	36,0	4,5	5,9	▪
A 18	20,0	36,0	40,0	5,0	6,5	▪
A 20	22,0	40,0	44,0	5,3	7,0	▪
A 22	24,0	44,0	50,0	6,0	8,0	▪
A 24	26,0	50,0	56,0	6,3	8,5	▪
A 27	29,0	56,0	56,0	6,3	8,5	▪
A 30	33,0	62,0	62,0	6,8	9,0	▪

Podloška kosa za «I» nosač nagib 14 %	Fe,Zn,VZn	
	INOX A2, A4	
	-	DIN 435




	d1	a	b	e	s	cjena
A 8	9,0	22,0	22,0	3,05	4,6	▪
A 10	11,0	22,0	22,0	3,05	4,6	▪
A 12	14,0	26,0	30,0	4,1	6,2	▪
A 14	16,0	29,0	33,0	4,6	6,9	▪
A 16	18,0	32,0	36,0	5	7,5	▪
A 18	20,0	36,0	40,0	5,6	8,6	▪
A 20	22,0	40,0	44,0	6,1	9,2	▪
A 22	24,0	44,0	50,0	6,5	10	▪
A 24	26,0	50,0	56,0	6,9	10,8	▪
A 27	29,0	56,0	56,0	6,9	10,8	▪
A 30	33,0	62,0	62,0	7,5	11,7	▪

Podloška četverokutna	Fe,Zn, VZn	
	INOX A2, A4	
	-	DIN 436




	d1	a	s	cljena
A 10	11	30	3	▪
A 12	13,5	40	4	▪
A 14	15,5	45	4,5	▪
A 16	17,5	50	6	▪
A 20	33	60	6	▪
A 24	36	80	6	▪

Matica niska	Fe,Zn - kl.8, kl.10, kl. 12	
	INOX A2, A4, Mesing	
	ISO 7436	DIN 439




	m	s	cljena
M 4	2,2	7	▪
M 5	2,7	8	▪
M 6	3,2	10	▪
M 8	4	13	▪
M 10	5	17	▪
M 12	6	19	▪
M 14	7	22	▪
M 16	8	24	▪
M 18	9	27	▪
M 20	10	30	▪
M 22	11	32	▪
M 24	12	36	▪
M 27	13,5	41	▪
M 30	15	46	▪
M 33	16,5	50	▪
M 36	18	55	▪

Matica niska fini navoj	Fe,Zn - kl.8, kl.10, kl. 12	
	INOX A2, A4	
	ISO 8675	DIN 439



	m	s	cijena
M 8 x 1	4	13	▪
M 10 x 1	5	17	▪
M 10 x 1,25	5	17	▪
M 12 x 1,25	6	19	▪
M 12 x 1,5	6	19	▪
M 14 x 1,5	7	22	▪
M 16 x 1,5	8	24	▪
M 18 x 1,5	9	27	▪
M 20 x 1,5	10	30	▪
M 22 x 1,5	11	32	▪
M 24 x 2	12	36	▪
M 27 x 2	13,5	41	▪
M 30 x 2	15	46	▪
M 33 x 2	16,5	50	▪
M 36 x 3	18	55	▪
M 39 x 3	19,5	60	▪
M 42 x 3	21,0	65	▪
M 45 x 3	22,5	70	▪

Podloška	Fe,Zn	
	INOX A2, A4	
	ISO 7094	DIN 440




OBLIK R

OBLIK V

	OBLIK R			OBLIK V				
M	Fe	Zn	d1	d2	s	a	Fe	Zn
5	▪	▪	5,5	18	2	5,5	▪	▪
6	▪	▪	6,5	22	2	6,6	▪	▪
8	▪	▪	9	28	3	9	▪	▪
10	▪	▪	11	34	3	11	▪	▪
12	▪	▪	14	45	4	14	▪	▪
14	▪	▪	16	52	5			
16	▪	▪	18	58	5			
20	▪	▪	22	68	5			
24	▪	▪	26	92	6			

Vijak OČNI	Fe,Zn - 4.6	
	-	DIN 444



d1	5	6	8	10	12	16	20	24
1)	16	18	22	26	30	38	46	54
2)	22	24	28	32	36	44	52	60
3)				45	49	57	65	73
d2	5	6	8	10	12	16	18	22
d3	12	14	18	20	25	32	40	45
s	8	9	11	14	17	19	24	28


M/I	5	6	8	10	12	16	20	24
30	▪	▪	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪	▪	▪	▪
70	▪	▪	▪	▪	▪	▪	▪	▪
80	▪	▪	▪	▪	▪	▪	▪	▪
100	▪	▪	▪	▪	▪	▪	▪	▪
120	▪	▪	▪	▪	▪	▪	▪	▪
140	▪	▪	▪	▪	▪	▪	▪	▪
150	▪	▪	▪	▪	▪	▪	▪	▪
180	▪	▪	▪	▪	▪	▪	▪	▪
200	▪	▪	▪	▪	▪	▪	▪	▪

**Podloška sigurnosna
sa nosom u rupi**

Fe,Zn


-

DIN 462



d1	d2	s	b	c	h	cijena
10	25	0,8	4	3	7,4	▪
12	28	0,8	5	3	9,3	▪
14	30	0,8	5	3	11,4	▪
16	32	1	5	3	13,5	▪
18	34	1	6	4	15,4	▪
20	36	1	6	4	17,5	▪
22	40	1	6	4	19,5	▪
24	42	1	6	4	21,6	▪
26	45	1	7	5	23,5	▪
27	47	1	7	5	24,4	▪
28	50	1	7	5	25,5	▪
30	50	1,2	7	5	27,5	▪
32	52	1,2	7	5	29,6	▪
35	55	1,2	7	5	32,6	▪
38	58	1,2	8	5	35,3	▪
40	62	1,2	8	5	37,3	▪
42	62	1,2	8	5	39,3	▪
45	68	1,2	8	5	42,4	▪
48	75	1,2	8	5	45,4	▪
50	75	1,2	8	5	47,4	▪
55	80	1,2	10	6	52,3	▪
58	90	1,2	10	6	55,3	▪
60	90	1,5	10	6	57,3	▪
62	95	1,5	10	6	59,3	▪
65	95	1,5	10	6	62,4	▪
68	100	1,5	10	6	65,4	▪
70	100	1,5	10	7	67,4	▪
72	110	1,5	10	7	68,9	▪
75	110	1,5	10	7	71,9	▪
80	115	1,5	10	7	76,9	▪
82	120	1,5	10	7	81,9	▪
90	130	1,5	10	7	86,9	▪
95	135	1,5	12	8	91,8	▪
100	145	1,5	12	8	96,9	▪

Podloška osiguravajuća s 2 pera	Fe,Zn	
	-	DIN 463




d1	d2	s	b	lt	lz	cijena
6,4	12,5	0,5	7	18	9	▪
8,4	17,0	0,75	8	20	11	▪
10,5	21	0,75	10	22	13	▪
13	24	1	12	28	15	▪
15	28	1	12	28	16	▪
17	30	1	15	32	18	▪
19	34	1	18	36	20	▪
21	37	1	18	36	21	▪
23	39	1	20	42	23	▪
25	44	1	20	42	25	▪
28	50	1,6	23	48	29	▪
31	56	1,6	26	52	32	▪
34	60	1,6	28	56	34	▪
37	66	1,6	30	60	38	▪

Vijak NAROVAŠENI

Zn, Mesing

-


DIN 464



d	M 3	M 4	M 5	M 6	M 8
d2	12	16	20	24	30
l2	2,5	3,5	4,0	5,0	6,0
h	5,7	7,64	9,64	11,57	15,57
d3	6	8	10	12	16


M/l	3	4	5	6	8
6	•	•	•	•	•
8	•	•	•	•	•
10	•	•	•	•	•
12	•	•	•	•	•
16	•	•	•	•	•
20	•	•	•	•	•
25	•	•	•	•	•
30	•	•	•	•	•
35	•	•	•	•	•
40	•	•	•	•	•

Matica NAROVAŠENA	Zn, Mesing	
	-	DIN 466



M	d2	d3	l2	l1
3	12	6	2,5	7,5
4	12	6	2,5	7,5
5	16	8	3,5	9,5
6	20	10	4	11,5
8	24	12	5	15
10	30	16	6	18
12	36	20	8	23

Matica NAROVAŠENA	Zn, Mesing	
	-	DIN 467




M	d2	d3	l2	l1
3	12	6	2,5	7,5
4	12	6	2,5	7,5
5	16	8	3,5	9,5
6	20	10	4	11,5
8	24	12	5	15
10	30	16	6	18
12	36	20	8	23

SEEGER vanjski

Fe,Zn

INOX A2, A4

DIN 471




d1	d3	d4	s	m	cijena	d1	d3	d4	s	m	cijena
6	5,6	5,7	0,7	0,8	▪	44	40,5		1,75	1,85	▪
8	7,4	7,6	0,8	0,9	▪	45	41,5	59,1	1,75	1,85	▪
10	9,3	9,6	1,0	1,1	▪	47	43,5	61,6	1,75	1,85	▪
12	11,0	11,5	1,0	1,1	▪	48	44,5	62,5	1,75	1,85	▪
14	12,9	13,4	1,0	1,1	▪	50	45,8	64,5	2,0	2,15	▪
15	13,8	14,3	1,0	1,1	▪	52	47,8	66,7	2,0	2,15	▪
16	14,7	15,2	1,0	1,1	▪	55	50,8	70,2	2,0	2,15	▪
17	15,7	16,2	1,0	1,1	▪	58	53,8	73,6	2,0	2,15	▪
18	16,5	17,0	1,2	1,3	▪	60	55,8	75,6	2,0	2,15	▪
20	18,5	19,0	1,2	1,3	▪	62	57,8	77,8	2,0	2,15	▪
21	19,5	20,0	1,2	1,3	▪	65	60,8	81,4	2,5	2,65	▪
22	20,5	21,0	1,2	1,3	▪	68	63,5	84,8	2,5	2,65	▪
23	21,5	22,0	1,2	1,3	▪	70	65,5	87,0	2,5	2,65	▪
24	22,2	22,9	1,2	1,3	▪	72	67,5	89,2	2,5	2,65	▪
25	23,2	23,9	1,2	1,3	▪	75	70,5	92,7	2,5	2,65	▪
26	24,2	24,9	1,2	1,3	▪	80	74,5	98,1	2,5	2,65	▪
28	25,9	26,6	1,5	1,6	▪	85	79,5	100,3	3,0	3,15	▪
30	27,9	28,6	1,5	1,6	▪	90	84,5	108,5	3,0	3,15	▪
32	29,6	30,3	1,5	1,6	▪	92	86,5		3,0	3,15	▪
34	31,5	32,3	1,5	1,6	▪	95	89,5	114,8	3,0	3,15	▪
35	32,2	33,0	1,5	1,6	▪	100	94,5	120,2	3,0	3,15	▪
36	33,2	47,8	1,75	1,85	▪	110	103	131,2	4,0	4,15	▪
37	34,2	49,4	1,75	1,85	▪	120	113	143,1	4,0	4,15	▪
38	35,2	50,2	1,75	1,85	▪	125	118	149,00	4,0	4,15	▪
40	36,5	52,6	1,75	1,85	▪	150	142	177,3	4,0	4,15	▪
42	38,5	55,7	1,75	1,85	▪	160	151	188,0	4,0	4,15	▪

SEEGER unutarnji

Fe, Zn


INOX A2, A4

DIN 472



d1	d3	d4	m	s	cijena	d1	d3	d4	m	s	cijena
8	8,7	3,0	0,9	0,8	▪	65	69,2	49,0	2,65	2,5	▪
9	9,8	3,1	0,9	0,8	▪	68	72,5	51,6	2,65	2,5	▪
10	10,8	3,3	1,1	1,0	▪	70	74,5	53,6	2,65	2,5	▪
11	11,8	4,1	1,1	1,0	▪	72	76,5	55,6	2,65	2,5	▪
12	13	4,9	1,1	1,0	▪	75	79,5	58,6	2,65	2,5	▪
13	14,1	5,4	1,1	1,0	▪	78	82,5	60,1	2,65	2,5	▪
14	15,1	6,2	1,1	1,0	▪	80	85,5	62,1	2,65	2,5	▪
15	16,2	7,2	1,1	1,0	▪	85	90,5	66,9	3,15	3,0	▪
16	17,3	8,0	1,1	1,0	▪	90	95,5	71,9	3,15	3,0	▪
18	19,5	9,4	1,1	1,0	▪	92	97,5	73,7	3,15	3,0	▪
20	21,5	11,2	1,1	1,0	▪	95	100,5	76,5	3,15	3,0	▪
21	22,5	12,2	1,1	1,0	▪	100	105,5	80,6	3,15	3,0	▪
22	23,5	13,2	1,1	1,0	▪	105	112	85,0	4,15	4,0	▪
24	25,9	14,8	1,3	1,2	▪	108	115	88,0	4,15	4,0	▪
25	26,9	15,5	1,3	1,2	▪	110	117	88,2	4,15	4,0	▪
26	27,9	16,1	1,3	1,2	▪	112	119	90,0	4,15	4,0	▪
28	30,1	17,9	1,3	1,2	▪	115	122	93,0	4,15	4,0	▪
30	32,1	19,9	1,3	1,2	▪	120	127	96,9	4,15	4,0	▪
32	34,4	20,6	1,3	1,2	▪	125	132	101,9	4,15	4,0	▪
34	36,5	22,6	1,6	1,5	▪	130	137	106,9	4,15	4,0	▪
35	37,8	23,6	1,6	1,5	▪	135	142	111,5	4,15	4,0	▪
36	38,8	24,6	1,6	1,5	▪	140	147	116,5	4,15	4,0	▪
38	40,8	26,4	1,6	1,5	▪	145	152	121,0	4,15	4,0	▪
40	43,5	27,8	1,85	1,75	▪	150	158	124,8	4,15	4,0	▪
42	45,5	29,6	1,85	1,75	▪	155	164	129,8	4,15	4,0	▪
44	47,5	46,5	1,85	1,75	▪	160	169	132,7	4,15	4,0	▪
45	48,5	32	1,85	1,75	▪	165	175,5	137,7	4,15	4,0	▪
46			1,85	1,75	▪	170	179,5	141,6	4,15	4,0	▪
47	50,5	33,5	1,85	1,75	▪	175	184,5	146,6	4,15	4,0	▪
48	51,5	34,5	1,85	1,75	▪	180	150,2	150,2	4,15	4,0	▪
50	54,2	36,3	2,15	2,0	▪	185	155,2	155,2	4,15	4,0	▪
52	56,2	37,9	2,15	2,0	▪	190	160,2	160,2	4,15	4,0	▪
55	59,2	40,7	2,15	2,0	▪	195	165,2	165,2	4,15	4,0	▪
60	64,2	44,7	2,15	2,0	▪	200	170,2	170,2	4,15	4,0	▪
62	66,2	46,7	2,15	2,0	▪	220	232	190,2	5,15	5,0	▪


Vijak s četverokutnom glavom	Fe	
	-	DIN 479



d	M 6	M 8	M 10	M 12	M 16
k	6	8	10	12	16
a1	3	4	4,5	5,3	6
s	6	8	10	13	16/17
dp	4	5,5	7	8,5	12
z1	1,5	2	2,5	3	4


M/l	6	8	10	12	16
16	.	.	.	.	.
20	.	.	.	.	.
25	.	.	.	.	.
30	.	.	.	.	.
35	.	.	.	.	.
40	.	.	.	.	.
50	.	.	.	.	.
60	.	.	.	.	.
70	.	.	.	.	.
80	.	.	.	.	.
100	.	.	.	.	.
120	.	.	.	.	.

Matica - T	Fe kl.10	
	-	DIN 508




M	a	e	f	h	k	cijena
5	6	10	1,6	8	4	·
6	8	13	1,6	10	6	·
8	10	15	1,6	12	6	·
10	12	18	2,5	14	7	·
12	14	22	2,5	16	8	·
14	16	26	2,5	18	9	·
16	18	28	2,5	20	10	·
20	22	35	4	28	14	·

Vijak UVRTNI	Fe, Zn, INOX A2,A4	
	ISO 4766	DIN 551




d	M 3	M 4	M 5	M 6	M 8	M 10	M 12
s	1,5	2,0	2,5	3,0	4,0	5,0	6,0
L							
4	▪	▪	▪	▪	▪	▪	▪
6	▪	▪	▪	▪	▪	▪	▪
8	▪	▪	▪	▪	▪	▪	▪
10	▪	▪	▪	▪	▪	▪	▪
12	▪	▪	▪	▪	▪	▪	▪
16	▪	▪	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪	▪	▪
25	▪	▪	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪	▪	▪
35	▪	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪	▪

Vijak UVRTNI	Fe, Zn, INOX A2,A4	
	ISO 7434	DIN 553




d	M 3	M 4	M 5	M 6	M 8	M 10	M 12
s	1,5	2,0	2,5	3,0	4,0	5,0	6,0
L							
4	▪	▪	▪	▪	▪	▪	▪
6	▪	▪	▪	▪	▪	▪	▪
8	▪	▪	▪	▪	▪	▪	▪
10	▪	▪	▪	▪	▪	▪	▪
12	▪	▪	▪	▪	▪	▪	▪
16	▪	▪	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪	▪	▪
25	▪	▪	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪	▪	▪
35	▪	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪	▪

Matica	Čelik Fe kl.8, kl.10, kl.12	
	INOX A2, A4	
	-	DIN 557



	m	s	Fe	Zn
M 5	4	8	▪	▪
M 6	5	10	▪	▪
M 8	6,5	13	▪	▪
M 10	8	17	▪	▪
M 12	10	19	▪	▪
M 16	13	24	▪	▪


Vijak s malom šesterokutnom glavom	Fe, Zn - 8.8	
	-	DIN 561



d1	M6	M 8	M 10	M 12	M 16	M 20	M 24
k	5	6	7	9	11	14	17
s	8	10	13	16	18	24	30
z	3	4	5	6	8	10	12
dp	4	5,5	7	8,5	12	15	18


M/L	6	8	10	12	16	20	24
16	▪	▪	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪	▪	▪
25	▪	▪	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪	▪	▪
35	▪	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪	▪
45	▪	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪	▪	▪
70	▪	▪	▪	▪	▪	▪	▪
80	▪	▪	▪	▪	▪	▪	▪
90	▪	▪	▪	▪	▪	▪	▪
100	▪	▪	▪	▪	▪	▪	▪
120	▪	▪	▪	▪	▪	▪	▪

Matica ČETVEROKUTNA	Fe,Zn	
	-	DIN 562



	m	s	Fe	Zn
M 3	1,8	5,5	▪	▪
M 4	2,2	7	▪	▪
M 5	2,7	8	▪	▪
M 6	3,2	10	▪	▪
M 8	4	13	▪	▪
M 10	5	16	▪	▪


Vijak za drvo	Zn	
	INOX A2, A4	
	-	DIN 571



d1	5	6	7	8	10	12	16
k	3,5	4	4,5	5,5	7	8	10
e	8,63	10,89	13,07	14,20	18,72	20,88	16,17
s	8	10	12	13	17	19	24


d1	b	5	6	7	8	10	12	16
20	13	▪	▪	▪	▪	▪	▪	▪
25	16	▪	▪	▪	▪	▪	▪	▪
30	19	▪	▪	▪	▪	▪	▪	▪
35	22	▪	▪	▪	▪	▪	▪	▪
40	25	▪	▪	▪	▪	▪	▪	▪
45	29	▪	▪	▪	▪	▪	▪	▪
50	32	▪	▪	▪	▪	▪	▪	▪
60	38	▪	▪	▪	▪	▪	▪	▪
70	45	▪	▪	▪	▪	▪	▪	▪
80	50	▪	▪	▪	▪	▪	▪	▪
90	55	▪	▪	▪	▪	▪	▪	▪
100	62	▪	▪	▪	▪	▪	▪	▪
110	68	▪	▪	▪	▪	▪	▪	▪
120	75	▪	▪	▪	▪	▪	▪	▪
130	82	▪	▪	▪	▪	▪	▪	▪
140	88	▪	▪	▪	▪	▪	▪	▪
150	95	▪	▪	▪	▪	▪	▪	▪
160	100	▪	▪	▪	▪	▪	▪	▪
170	105	▪	▪	▪	▪	▪	▪	▪
180	112	▪	▪	▪	▪	▪	▪	▪
200	125	▪	▪	▪	▪	▪	▪	▪
220	137	▪	▪	▪	▪	▪	▪	▪
240	150	▪	▪	▪	▪	▪	▪	▪
260	162	▪	▪	▪	▪	▪	▪	▪
280	175	▪	▪	▪	▪	▪	▪	▪
300	187	▪	▪	▪	▪	▪	▪	▪

Vijak KARIKA	Zn,A2	
	ISO 3266	DIN 580




d1	b	d2	d3	Nosivost tereta obješenog na vijak (kg)		cjena
				s jednim vijkom	s dva vijka	
M 6	13,0	36,0	20,0	70	50	▪
M 8	13,0	36,0	20,0	140	95	▪
M 10	17,0	45,0	25,0	230	170	▪
M 12	20,5	54,0	30,0	340	240	▪
M 14	27,0	63,0	35,0	490	340	▪
M 16	27,0	63,0	35,0	700	500	▪
M 20	30,0	72,0	40,0	1200	830	▪
M 24	36,0	90,0	50,0	1800	1270	▪
M 30	45,0	108,0	60,0	3600	2600	▪

Matica KARIKA	Zn,A2	
	-	DIN 582



d1	d2	d3	Nosivost tereta obješenog na maticu (kg)		cijena
			s jednim maticom	s dvije matice	
M 6	28,0	16,0	70	60	▪
M 8	36,0	20,0	140	85	▪
M 10	45,0	25,0	230	170	▪
M 12	54,0	30,0	340	240	▪
M 14	54,0	35,0	490	340	▪
M 16	63,0	35,0	700	500	▪
M 20	72,0	40,0	1200	830	▪
M 24	90,0	50,0	1800	1270	▪
M 30	108,0	60,0	3600	2600	▪

Vijak TORBAND	Zn	
	INOX A2, A4	
	ISO 8677	DIN 603




d1	M 5	M 6	M 8	M 10	M 12	M 16
d2	13,55	16,55	20,65	24,85	30,65	37,50
L						
15	▪	▪	▪	▪		
20	▪	▪	▪	▪		
25	▪	▪	▪	▪	▪	
30	▪	▪	▪	▪	▪	▪
35	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪
45	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪	▪
70	▪	▪	▪	▪	▪	▪
80	▪	▪	▪	▪	▪	▪
90	▪	▪	▪	▪	▪	▪
100	▪	▪	▪	▪	▪	▪
110	▪	▪	▪	▪	▪	▪
120	▪	▪	▪	▪	▪	▪
130	▪	▪	▪	▪	▪	▪
140	▪	▪	▪	▪	▪	▪
150	▪	▪	▪	▪	▪	▪
160	▪	▪	▪	▪	▪	▪
170	▪	▪	▪	▪	▪	▪
180	▪	▪	▪	▪	▪	▪
190	▪	▪	▪	▪	▪	▪
200	▪	▪	▪	▪	▪	▪

Vijak PLUG

Fe, Zn - 8.8, 10.9

-


DIN 604



d	M10	M12	M16	M20	M24
dk	19,65	24,65	32,8	32,8	38,8
k	5,5	7	9	11,5	13
s	90	90	90	60	60
g	3,2	3,6	4,2	5,4	6,6
b1 125	26	30	38	46	54
b1 200	32	36	44	52	60
b3 200	45	49	57	65	73

d1	10	12	16	20	24
25	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪
35	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪
45	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪
55	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪
65	▪	▪	▪	▪	▪
70	▪	▪	▪	▪	▪
75	▪	▪	▪	▪	▪
80	▪	▪	▪	▪	▪
90	▪	▪	▪	▪	▪
100	▪	▪	▪	▪	▪


Vijak PLUG	Fe,Zn - 8.8, 10.9	
	-	DIN 608



d	M10	M12	M16
dk	19,65	24,65	32
f	8,45	11,05	13,5
b	26	30	38
v	10,58	12,7	16


d1	10	12	16
25	▪	▪	▪
30	▪	▪	▪
35	▪	▪	▪
40	▪	▪	▪
45	▪	▪	▪
50	▪	▪	▪
55	▪	▪	▪
60	▪	▪	▪
65	▪	▪	▪
70	▪	▪	▪
75	▪	▪	▪
80	▪	▪	▪

Vijak NAROVAŠENI	Fe,Zn	
	-	DIN 653




d	3	4	5	6	8	10
d3	12	16	20	24	30	36
k	2,5	3,5	4	5	6	8
h	4,5	6,5	7	9	11	14
10	•	•	•	•	•	•
12	•	•	•	•	•	•
16	•	•	•	•	•	•
20	•	•	•	•	•	•
22	•	•	•	•	•	•
25	•	•	•	•	•	•
30	•	•	•	•	•	•
40	•	•	•	•	•	•
50	•	•	•	•	•	•


Zakovica	Fe, Cu, Al, INOX	
	ISO 1051	DIN 660




Zakovica	Fe, Cu, Al, INOX	
	ISO 1051	DIN 661



Zakovica	Fe, Cu, Al, INOX	
	-	DIN 664




Zakovica	Fe, Cu, Al, INOX	
	-	DIN 7338




d1/l	3	4	5	5,3	6	7	8	10
5	▪	▪	▪	▪	▪	▪	▪	▪
8	▪	▪	▪	▪	▪	▪	▪	▪
10	▪	▪	▪	▪	▪	▪	▪	▪
12	▪	▪	▪	▪	▪	▪	▪	▪
16	▪	▪	▪	▪	▪	▪	▪	▪
18	▪	▪	▪	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪	▪	▪	▪
22	▪	▪	▪	▪	▪	▪	▪	▪
25	▪	▪	▪	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪	▪	▪	▪
35	▪	▪	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪	▪	▪
45	▪	▪	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪	▪	▪

Odstojni prsten s 2 uvrtna vijka	Fe,Zn	
	-	DIN 705 A



d 1	b	d2	d3	d4	cijena
4	5	8	M2,5	1	▪
5	6	10	M3	1,5	▪
6	8	12	M4	1,5	▪
8	8	16	M4	2	▪
9	10	18	M4	2	▪
10	10	20	M5	3	▪
12	12	22	M6	4	▪
13	12	22	M6	4	▪
14	12	25	M6	4	▪
15	12	25	M6	4	▪
16	12	28	M6	4	▪
17	12	28	M6	4	▪
18	14	32	M6	5	▪
20	14	32	M6	5	▪
22	14	36	M6	5	▪
24	16	40	M8	6	▪
25	16	40	M8	6	▪
26	16	40	M8	6	▪
28	16	45	M8	6	▪
30	16	45	M8	6	▪
32	16	50	M8	8	▪
34	16	50	M8	8	▪
35	16	56	M8	8	▪
36	16	56	M8	8	▪

Odstojni prsten s uvrtnim vijkom	Fe,Zn	
	-	DIN 705 B




	b	d2	d3	d4	cijena
d1					
4	5	8	M2,5	1	▪
5	6	10	M3	1,5	▪
6	8	12	M4	1,5	▪
8	8	16	M4	2	▪
9	10	18	M4	2	▪
10	10	20	M5	3	▪
12	12	22	M6	4	▪
13	12	22	M6	4	▪
14	12	25	M6	4	▪
15	12	25	M6	4	▪
16	12	28	M6	4	▪
17	12	28	M6	4	▪
18	14	32	M6	5	▪
20	14	32	M6	5	▪
22	14	36	M6	5	▪
24	16	40	M8	6	▪
25	16	40	M8	6	▪
26	16	40	M8	6	▪
28	16	45	M8	6	▪
30	16	45	M8	6	▪
32	16	50	M8	8	▪
34	16	50	M8	8	▪
35	16	56	M8	8	▪
36	16	56	M8	8	▪

Stežaljka za čelično užje

Fe,Zn


-

DIN 741



□ sajle	b	L	Nosivost	cijena
			kg/1000 kom	
3	4	21	14	▪
5	6	23	15	▪
6	8	26	21	▪
8	9	30	41	▪
10	11	34	68	▪
11	12	36	72	▪
13	14	42	130	▪
14	15	44	135	▪
16	17	50	210	▪
19	20	54	280	▪
22	23	61	400	▪
26	27	65	440	▪
30	32	74	660	▪
34	36	80	850	▪
40	42	88	1040	▪


Vijak dvostrani (strojni) BREZON	Fe,Zn	
	5.8, 8.8, 10.9	
	-	DIN 835



d1	M6	M8	M10	M12	M16
b1	12	16	20	24	32
x1	2,5	3,2	3,8	4,3	5,0
b2<125	18	22	26	30	38
b2<200	24	28	32	36	44
b2>200			45	49	57


M/L	6	8	10	12	16
16	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪
25	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪
35	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪
45	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪
55	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪

Čep s šesterostranim otvorom za imbus ključ	Fe, Zn	
	-	DIN 906




d1	b	s	t	Fe	Zn
M 8x1				▪	▪
M 10x1	8	5	5	▪	▪
M 12x1,5	8	6	5	▪	▪
M 14x1,5	10	8	7	▪	▪
M 16x1,5	10	8	7	▪	▪
M 18x1,5	10	8	7	▪	▪
M 20x1,5	10	10	7	▪	▪
M 22x1,5	10	10	7	▪	▪
M 24x1,5	12	12	9	▪	▪
M 26x1,5	12	12	9	▪	▪
M 27x2	12	12	9	▪	▪
M 30x1,5	12	17	9	▪	▪
M 30x2	12	17	9	▪	▪
M 33x2	12	17	9	▪	▪
M 36x1,5	15	19	11	▪	▪
M 36x2	15	19	11	▪	▪
M 39x1,5	15	19	11	▪	▪
M 39x2	15	19	11	▪	▪
M 42x1,5	18	22	14	▪	▪
M 42x2	18	22	14	▪	▪
M 45x1,5	18	22	14	▪	▪
M 45x2	18	22	14	▪	▪
M 48x1,5	20	24	15	▪	▪
M 48x2	20	24	15	▪	▪
M 52x1,5	20	24	15	▪	▪
M 52x2	20	24	15	▪	▪
M 56x2	22	30	17	▪	▪
M 60x2	22	30	17	▪	▪

Čep s šesterostranim otvorom za imbus ključ	Fe, Zn	
	-	DIN 906




d1	b	s	t	Fe	Zn
R 1/8	8	5	5	▪	▪
R 1/4	10	8	7	▪	▪
R 3/8	10	8	7	▪	▪
R 1/2	10	10	7	▪	▪
R 5/8	12	12	9	▪	▪
R 3/4	12	12	9	▪	▪
R 1	12	17	9	▪	▪
R 1 1/4	18	22	14	▪	▪
R 1 1/2	20	24	15	▪	▪

Čep s šesterostranim otvorom za imbus ključ	Fe,Zn	
	-	DIN 908



d1	d2	c	t	s	Fe	Zn
M 8x1					•	•
M 10x1	14	3	7	5	•	•
M 12x1,5	17	3	9	6	•	•
M 14x1,5	19	3	9	6	•	•
M 16x1,5	21	3	10	8	•	•
M 18x1,5	23	4	10	8	•	•
M 20x1,5	25	4	10	10	•	•
M 22x1,5	27	4	10	10	•	•
M 24x1,5	29	4	10	12	•	•
M 26x1,5	31	4	10	12	•	•
M 27x2	32	4	12	12	•	•
M 30x1,5	36	4	12	17	•	•
M 30x2	36	4	12	17	•	•
M 33x2	39	5	12	17	•	•
M 36x1,5	42	5	14	19	•	•
M 36x2	42	5	14	19	•	•
M 39x1,5	44	5	14	19	•	•
M 39x2	46	5	14	19	•	•
M 42x1,5	49	5	14	22	•	•
M 42x2	49	5	14	22	•	•
M 45x1,5	52	5	14	22	•	•
M 45x2	52	5	14	22	•	•
M 48x1,5	55	5	14	24	•	•
M 48x2	55	5	14	24	•	•
M 52x1,5	60	5	14	24	•	•
M 52x2	60	5	14	24	•	•
M 56x2	64	5	18	30	•	•
M 60x2	68	5	18	30	•	•

Čep s šesterostranim otvorom za imbus ključ	Fe,Zn	
	-	DIN 908




d1	d2	c	t	s	Fe	Zn
R 1/8	14	3	7	5	▪	▪
R 1/4	18	3	9	6	▪	▪
R 3/8	22	3	10	8	▪	▪
R 1/2	26	4	10	10	▪	▪
R 5/8	28	4	10	12	▪	▪
R 3/4	32	4	12	12	▪	▪
R 1	39	5	12	17	▪	▪
R 1 1/4	49	5	14	22	▪	▪
R 1 1/2	55	5	14	24	▪	▪

Čep s šesterostranim glavom

Fe,Zn


DIN 910



d1	d2	l	m	i	s	Fe	Zn
M 10x1	14	17	6	8	11	▪	▪
M 12x1,5	17	21	6	12	14	▪	▪
M 14x1,5	19	21	6	12	14	▪	▪
M 16x1,5	21	21	6	12	17	▪	▪
M 18x1,5	23	24	8	12	17	▪	▪
M 20x1,5	25	26	8	14	19	▪	▪
M 22x1,5	27	26	8	14	19	▪	▪
M 24x1,5	29	27	9	14	122	▪	▪
M 26x1,5	31	28	10	14	24	▪	▪
M 27x2	32	30	10	16	24	▪	▪
M 30x1,5	36	30	10	16	24	▪	▪
M 30x2	36	30	10	16	24	▪	▪
M 33x2	39	32	11	16	27	▪	▪
M 36x1,5	42	32	11	16	27	▪	▪
M 36x2	42	32	11	16	27	▪	▪
M 39x1,5	44	32	11	16	27	▪	▪
M 39x2	46	32	11	16	27	▪	▪
M 42x1,5	49	33	12	16	30	▪	▪
M 42x2	49	33	12	16	30	▪	▪
M 45x1,5	52	33	12	16	30	▪	▪
M 45x2	52	33	12	16	30	▪	▪
M 48x1,5	55	33	12	16	30	▪	▪
M 48x2	55	33	12	16	30	▪	▪
M 52x1,5	60	33	12	16	30	▪	▪
M 52x2	60	33	12	16	30	▪	▪
M 56x2	64	40	15	20	36	▪	▪
M 60x2	68	40	15	20	36	▪	▪

d1	d2	l	m	i	s	Fe	Zn
R 1/8	14	17	6	8	11	▪	▪
R ¼	18	21	6	12	14	▪	▪
R 3/8	22	21	6	12	17	▪	▪
R ½	26	22	8	14	19	▪	▪
R 5/8	28	26	8	14	19	▪	▪
R ¾	32	30	10	16	24	▪	▪
R 1	39	32	11	16	27	▪	▪
R 1 1/4	49	33	12	16	30	▪	▪
R 1 1/2	55	33	12	16	30	▪	▪


Vijak IMBUS	Fe, Zn - 8.8, 10.9, 12.9	
	INOX A2, A4	
	ISO 4762	DIN 912



d1		3	4	5	6	8	10	12	14	16	18	20
b	1)	12	14	16	18	22	26	30	34	38	42	46
	2)				24	28	32	36	40	44	48	52
	3)						45	49	53	57	61	65
d2		5,5	7	8,5	10	13	16	18	21	24	27	30
k		3	4	5	6	8	10	12	14	16	18	20
t		1,3	2	2,7	3,3	4,3	5,5	6,6	7,8	8,8	9,8	10,7
s		2,5	3	4	5	6	8	10	12	14	14	17


M/L	3	4	5	6	8	10	12	14	16	18	20
6	■	■	■	■	■						
8	■	■	■	■	■	■					
10	■	■	■	■	■	■					
12	■	■	■	■	■	■					
14	■	■	■	■	■	■					
16	■	■	■	■	■	■					
18	■	■	■	■	■	■					
20	■	■	■	■	■	■	■	■	■	■	■
22	■	■	■	■	■	■	■	■	■	■	■
25	■	■	■	■	■	■	■	■	■	■	■
30	■	■	■	■	■	■	■	■	■	■	■
35	■	■	■	■	■	■	■	■	■	■	■
40	■	■	■	■	■	■	■	■	■	■	■
45			■	■	■	■	■	■	■	■	■
50			■	■	■	■	■	■	■	■	■
55			■	■	■	■	■	■	■	■	■
60			■	■	■	■	■	■	■	■	■
65			■	■	■	■	■	■	■	■	■
70			■	■	■	■	■	■	■	■	■
75			■	■	■	■	■	■	■	■	■
80			■	■	■	■	■	■	■	■	■
85			■	■	■	■	■	■	■	■	■
90				■	■	■	■	■	■	■	■
100				■	■	■	■	■	■	■	■
110				■	■	■	■	■	■	■	■
120				■	■	■	■	■	■	■	■
130					■	■	■	■	■	■	■
140					■	■	■	■	■	■	■
150					■	■	■	■	■	■	■
160					■	■	■	■	■	■	■
180					■	■	■	■	■	■	■
200					■	■	■	■	■	■	■
220						■	■	■	■	■	■
240						■	■	■	■	■	■
260						■	■	■	■	■	■
280						■	■	■	■	■	■
300						■	■	■	■	■	■


Vijak IMBUS	Fe, Zn - 8.8, 10.9, 12.9	
	INOX A2, A4	
	ISO 4762	DIN 912





d1	22	24	27	30	33	36	39	42	45	48
b	1)	50	54	60	66	72	78		90	102
	2)	56	60	66	72	78	84		96	108
	3)	69	73	79	85	91	97		109	121
d2	33	36	40	45	50	54		63		72
k	22	24	27	30	33	36		42		48
t	11,3	12,9	15,1	17,1	18,8	20,8		25		29,1
s	17	19	19	22	24	27		32		36

M/L	22	24	27	30	33	36	39	42	45	48
30	▪	▪	▪	▪						
35	▪	▪	▪	▪						
40	▪	▪	▪	▪						
45	▪	▪	▪	▪	▪					
50	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
55	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
65	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
70	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
75	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
80	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
85	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
90	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
100	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
110	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
120	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
130	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
140	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
150	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
160	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
180	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
200	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
220	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
240	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
260	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
280	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
300	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪

Vijak UVRTNI	Fe, Zn 45 H	
	INOX A2, A4	
	ISO 4026	DIN 913


Vijak UVRTNI	Fe,Zn 45 H	
	INOX A2, A4	
	ISO 4027	DIN 914

Vijak UVRTNI	Fe,Zn 45 H	
	INOX A2, A4	
	ISO 4028	DIN 915

Vijak UVRTNI	Fe,Zn 45 H	
	INOX A2, A4	
	ISO 4029	DIN 916


d/L	3	4	5	6	8	10	12	14	16	18	20
s	1,5	2	2,5	3	4	5	6	6	8	10	10
4	▪	▪									
6	▪	▪	▪	▪							
8	▪	▪	▪	▪							
10	▪	▪	▪	▪	▪	▪					
12	▪	▪	▪	▪	▪	▪	▪				
15	▪	▪	▪	▪	▪	▪	▪				
20	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
25	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
35			▪	▪	▪	▪	▪	▪	▪	▪	▪
40			▪	▪	▪	▪	▪	▪	▪	▪	▪
45					▪	▪	▪	▪	▪	▪	▪
50					▪	▪	▪	▪	▪	▪	▪
60					▪	▪	▪	▪	▪	▪	▪
70					▪	▪	▪	▪	▪	▪	▪
80							▪	▪	▪	▪	▪
90							▪	▪	▪	▪	▪
100							▪	▪	▪	▪	▪

Matica	Fe,Zn	
	INOX A2, A4, Mesing	
	-	DIN 917



d1	h	t	s	e	cijena
3					▪
4	5,5	4,4	7	7,7	▪
5	7	5,2	8	8,9	▪
6	9	7	10	11,1	▪
8	12	9,5	13	14,4	▪
10	14	11	17	18,9	▪
12	16	13,5	19	21,1	▪
14	18	15	22	24,5	▪
16	20	17	24	26,8	▪
18	22	19	27	30,1	▪
20	25	21	30	33,5	▪
22	28	22	32	35,7	▪
24	30	24	36	39,9	▪


Vijak s velikom cilindričnom glavom	Fe,Zn	
	-	DIN 921



d	M 3	M 4	M 5	M 6	M 8	M 10
a	1	1,4	1,6	2	2,5	3
dk	4	5,5	6,5	8	10	13
k	1,8	2,4	2,7	3,1	3,8	4,6
n	0,5	0,6	0,8	1	1,2	1,6
t	1,15	1,5	1,6	1,9	2,4	2,8


M/L	3	4	5	6	8	10
5	▪	▪	▪	▪	▪	▪
6	▪	▪	▪	▪	▪	▪
8	▪	▪	▪	▪	▪	▪
10	▪	▪	▪	▪	▪	▪
12	▪	▪	▪	▪	▪	▪
16	▪	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪	▪

Matica PRIVARNA četverkotna	Fe	
	-	DIN 928



M	b	d4	h1	h2	m	s	cijena
4	0,8	6,4	0,6	0,4	3,5	7	▪
5	1	8,2	0,8	0,6	4,2	9	▪
6	1,2	9,1	0,8	0,7	5	10	▪
8	1,5	12,8	1	1,1	6,5	14	▪
10	1,8	15,6	1,2	1,25	8	17	▪
12	2	17,4	1,4	1,75	9,5	19	▪

Matica PRIVARNA šesterokutna	Fe	
	-	DIN 929



M	b	d4	h1	h2	m	s	cijena
4	0,8	6,4	0,6	0,4	3,5	7	▪
5	1	8,2	0,8	0,6	4,2	9	▪
6	1,2	9,1	0,8	0,7	5	10	▪
8	1,5	12,8	1	1,1	6,5	14	▪
10	1,8	15,6	1,2	1,25	8	17	▪
12	2	17,4	1,4	1,75	9,5	19	▪

Vijak matični	Fe, Zn,VZn - 8.8, 10.9, 12.9	
	INOX A2, A4, Mesing	
	ISO 4014	DIN 931



d1	4	5	6	7	8	10	12	14	16	18	20	22	24	27	30	33	36	39
k	2,8	3,5	4	5	5,5	7	8	9	10	12	13	14	15	17	19	21	23	25
s	7	8	10	11	13	17	19	22	24	27	30	32	36	41	46	50	55	60
e	7,7	8,9	11,1	12,1	14,4	18,9	21,1	24,5	26,75	30,1	33,5	35,7	39,9	45,6	51,3	55,8	61,3	66,9
*b1	14	16	18,0	20,0	22,0	26,0	30,0	34,0	38,0	42,0	46,0	50,0	54,0	60,0	66,0	69,0	78,0	84,0
*b2		22	24,0	26,0	28,0	32,0	36,0	40,0	44,0	48,0	52,0	56,0	60,0	66,0	72,0	76,0	84,0	90,0
*b3						45,0	49,0	53,0	57,0	61,0	65,0	69,0	73,0	79,0	85,0	92,0	97,0	103

*b1 do dužine 125, * b2 duže od 125,* b3 duže od 200

Vijak matični

Fe, Zn,VZn - 8.8, 10.9, 12.9

INOX A2, A4, Mesing

ISO 4014

DIN 931




M/L	4	5	6	7	8	10	12	14	16	18	20	22	24	27	30	33	36	39
20	▪	▪	▪															
25	▪	▪	▪															
30	▪	▪	▪															
35		▪	▪															
40		▪	▪	▪	▪													
45		▪	▪	▪	▪													
50		▪	▪	▪	▪	▪	▪	▪	▪									
55		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪							
60		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪					
65		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪					
70		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪			
75		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪			
80		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪			
85		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪			
90		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪		
95		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪		
100		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪		
110			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪		
120			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
130				▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
140					▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
150					▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
160					▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
170					▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
180					▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
190					▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
200					▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
210						▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
220						▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
230						▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
240						▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
250						▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
260						▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
280						▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
300						▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪

Vijak matični - UNF

Fe, Zn, VZn - 8.8, 10.9, 12.9

INOX A2, A4,

DIN 931



d1	1/4"	5/16"	3/8"	7/16"	1/2"	9/16"	5/8"	3/4"	7/8"	1"
gange	28	24	24	20	20	18	18	16	14	12
s	7/16"	1/2"	9/16"	5/8"	3/4"	13/16"	15/16"	1 1/8"	1 5/16"	1 1/2"
s(mm)	11,11	12,70	14,29	15,88	19,05	20,64	23,81	29	33	38
k	4	5,2	6	7,1	7,9	9,1	9,9	12	14	16
b	19	22	25	28	32	35	38	44	51	57

d1	1/4"	5/16"	3/8"	7/16"	1/2"	9/16"	5/8"	3/4"	7/8"	1"
1/2"	■	■	■	■	■	■	■	■	■	■
5/8"	■	■	■	■	■	■	■	■	■	■
3/4"	■	■	■	■	■	■	■	■	■	■
7/8"	■	■	■	■	■	■	■	■	■	■
1"	■	■	■	■	■	■	■	■	■	■
1 1/4"	■	■	■	■	■	■	■	■	■	■
1 1/2"	■	■	■	■	■	■	■	■	■	■
1 3/4"	■	■	■	■	■	■	■	■	■	■
2"	■	■	■	■	■	■	■	■	■	■
2 1/4"	■	■	■	■	■	■	■	■	■	■
2 1/2"	■	■	■	■	■	■	■	■	■	■
2 3/4"	■	■	■	■	■	■	■	■	■	■
3"	■	■	■	■	■	■	■	■	■	■
3 1/4"	■	■	■	■	■	■	■	■	■	■
3 1/2"	■	■	■	■	■	■	■	■	■	■
4"	■	■	■	■	■	■	■	■	■	■
4 1/2"	■	■	■	■	■	■	■	■	■	■
5"	■	■	■	■	■	■	■	■	■	■
5 1/2"	■	■	■	■	■	■	■	■	■	■
6"	■	■	■	■	■	■	■	■	■	■

izračun coll u mm (cca)

1/4"	6,35	9/16"	14,29
5/16"	7,95	5/8"	15,88
3/8"	9,53	3/4"	19,05
7/16"	11,11	7/8"	22,23
1/2"	12,70	1"	25,40

Vijak matični - UNC

Fe,Zn, VZn - 8.8, 10.9, 12.9

INOX - A2, A4,

DIN 931



d1	1/4"	5/16"	3/8"	7/16"	1/2"	9/16"	5/8"	3/4"	7/8"	1"
gange	20	18	16	14	13	12	11	10	9	8
s	7/16"	1/2"	9/16"	5/8"	3/4"	13/16"	15/16"	1 1/8"	1 5/16"	1 1/2"
s(mm)	11,11	12,70	14,29	15,88	19,05	20,64	23,81	29	33	38
k	4	5,2	6	7,1	7,9	9,1	9,9	12	14	16
b	19	22	25	28	32	35	38	44	51	57

d1	1/4"	5/16"	3/8"	7/16"	1/2"	9/16"	5/8"	3/4"	7/8"	1"
1/2"	■	■	■	■	■	■	■	■	■	■
5/8"	■	■	■	■	■	■	■	■	■	■
3/4"	■	■	■	■	■	■	■	■	■	■
7/8"	■	■	■	■	■	■	■	■	■	■
1"	■	■	■	■	■	■	■	■	■	■
1 1/4"	■	■	■	■	■	■	■	■	■	■
1 1/2"	■	■	■	■	■	■	■	■	■	■
1 3/4"	■	■	■	■	■	■	■	■	■	■
2"	■	■	■	■	■	■	■	■	■	■
2 1/4"	■	■	■	■	■	■	■	■	■	■
2 1/2"	■	■	■	■	■	■	■	■	■	■
2 3/4"	■	■	■	■	■	■	■	■	■	■
3"	■	■	■	■	■	■	■	■	■	■
3 1/4"	■	■	■	■	■	■	■	■	■	■
3 1/2"	■	■	■	■	■	■	■	■	■	■
4"	■	■	■	■	■	■	■	■	■	■
4 1/2"	■	■	■	■	■	■	■	■	■	■
5	■	■	■	■	■	■	■	■	■	■
5 1/2"	■	■	■	■	■	■	■	■	■	■
6"	■	■	■	■	■	■	■	■	■	■

izračun coll u mm (cca)

1/4"	6,35	9/16"	14,29
5/16"	7,95	5/8"	15,88
3/8"	9,53	3/4"	19,05
7/16"	11,11	7/8"	22,23
1/2"	12,70	1"	25,40

Vijak matični

Fe Zn, VZn - , 5.8, 8.8, 10.9, 12.9

INOX - A2, A4, Mesing

ISO 4017


DIN 933



d1	4	5	6	7	8	10	12	14	16	18	20	22	24	27	30	33	36	39
k	2,8	3,5	4	5	5,5	7	8	9	10	12	13	14	15	17	19	21	23	25
s	7	8	10	11	13	17	19	22	24	27	30	32	36	41	46	50	55	60
e	7,7	8,9	11,1	12,1	14,4	18,9	21,1	24,5	26,75	30,1	33,5	35,7	39,9	45,6	51,3	55,8	61,3	66,9


M/L	4	5	6	7	8	10	12	14	16	18	20	22	24	27	30	33	36	39
6	▪																	
8	▪	▪																
10	▪	▪	▪	▪	▪													
12	▪	▪	▪	▪	▪													
15	▪	▪	▪	▪	▪	▪	▪											
18	▪	▪	▪	▪	▪	▪	▪											
20	▪	▪	▪	▪	▪	▪	▪	▪	▪									
25	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪								
30	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪						
35	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪					
40		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪				
45		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪				
50		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
55			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
60			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
65			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
70			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
75			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
80			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
85			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
90			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
95			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
100			▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
110				▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
120				▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
130					▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
140					▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
150					▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
160					▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
170					▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
180					▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
190					▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
200					▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪

Matica	Fe,Zn, Vzn - kl. 8, kl.10, kl.12	
	INOX - A2, A4, Mesing	
	ISO 4032/4033	DIN 934



	m	s	cijena
M 2	1,6	4	▪
M 2,5	2	5	▪
M 3	2,4	5,5	▪
M 4	3,2	7	▪
M 5	4	8	▪
M 6	6	10	▪
M 7	5,5	11	▪
M 8	6,5	13	▪
M 10	8	17	▪
M 12	10	19	▪
M 14	11	22	▪
M 16	13	24	▪
M 18	15	27	▪
M 20	16	30	▪
M 22	18	32	▪
M 24	19	36	▪
M 27	22	41	▪
M 30	24	46	▪
M 33	26	50	▪
M 36	29	55	▪
M 39	31	60	▪
M 42	34	65	▪
M 45	36	70	▪
M 48	38	75	▪
M 52	42	80	▪
M 56	45	85	▪
M 60	48	90	▪
M 64	51	95	▪
M 68	54	100	▪
M 72	58	105	▪
M 76	61	110	▪
M 80	64	115	▪

Matica FINI NAVOJ	Fe,Zn, Vzn - kl. 8, kl.10, kl.12	
	INOX - A2, A4, Mesing	
	ISO 8673	DIN 934



	m	s	cijena
M 8 x 1	6,5	13	▪
M 10 x 1	8	17	▪
M 10 x 1,25	8	17	▪
M 12 x 1	10	19	▪
M 12 x 1,25	10	19	▪
M 12 x 1,5	10	19	▪
M 14 x 1,5	11	22	▪
M 16 x 1,5	13	24	▪
M 18 x 1,5	15	27	▪
M 18 x 2	15	27	▪
M 20 x 1,5	16	30	▪
M 20 x 2	16	30	▪
M 22 x 1,5	18	32	▪
M 22 x 2	18	32	▪
M 24 x 1,5	19	36	▪
M 24 x 2	19	36	▪
M 27 x 2	22	41	▪
M 30 x 2	24	46	▪
M 33 x 2	26	50	▪
M 36 x 3	29	55	▪
M 39 x 3	31	60	▪
M 42 x 3	34	65	▪
M 45 x 3	36	70	▪
M 48 x 3	38	75	▪
M 52 x 3 / M 56 x	42	80	▪
M 56 x 3	45	85	▪


Matica KRUNASATA

Fe,Zn, Vzn - kl. 8, kl.10, kl.12

INOX - A2, A4


-

DIN 935




M	m	s	n	W	cijena
6	7,5	10	2	5	·
8	9,5	13	2,5	6,5	·
10	12	17	2,8	8	·
12	15	19	3,5	10	·
14	16	22	3,5	11	·
16	19	24	4,5	13	·
18	21	27	4,5	15	·
20	22	30	4,5	16	·
22	26	32	5,5	18	·
24	27	36	5,5	19	·
27	30	41	5,5	22	·
30	33	46	7	24	·
33	35	50	7	26	·
36	38	55	7	29	·
39	40	60	7	31	·
42	46	65	9	34	·
45	48	70	9	36	·
48	50	75	9	38	·
52	54	80	9	42	·
56	57	85	9	45	·
60	63	90	11	48	·
64	66	95	11	51	·

Matica KRUNASATA FINI NAVOJ	Fe,Zn, Vzn - kl. 8, kl.10, kl.12	
	INOX - A2, A4	
	-	DIN 935




M	m	s	n	W	cijena
M 8x1	9,5	13	2,5	6,5	▪
M 10x1	12	17	2,8	8	▪
M 12x1,5	15	19	3,5	10	▪
M 14x1,5	16	22	3,5	11	▪
M 16x1,5	19	24	4,5	13	▪
M 18x1,5	21	27	4,5	15	▪
M 20x1,5	22	30	4,5	16	▪
M 22x1,5	26	32	5,5	18	▪
M 24x1,5	27	36	5,5	19	▪
M 24x2	30	41	5,5	22	▪
M 30x1,5	33	46	7	24	▪
M 30x2	33	46	7	24	▪
M 33x1,5	35	50	7	26	▪
M 36x1,5	38	55	7	29	▪
M 39x1,5	40	60	7	31	▪
M 42x1,5	46	65	9	34	▪

Matica NISKA	Fe,Zn, Vzn - kl. 8, kl.10, kl.12	
	INOX - A2, A4	
	ISO 4035	DIN 935




	m	s	cijena
M 4	2,2	7	▪
M 5	2,7	8	▪
M 6	3,2	10	▪
M 8	5	13	▪
M 10	6	17	▪
M 12	7	19	▪
M 14	8	22	▪
M 16	8	24	▪
M 18	9	27	▪
M 20	9	30	▪
M 22	10	32	▪
M 24	10	36	▪
M 27	12	41	▪
M 30	12	46	▪
M 33	14	50	▪
M 36	14	55	▪
M 39	16	60	▪
M 42	16	65	▪
M 45	18	70	▪
M 48	18	75	▪
M 52	20	80	▪
M 56		85	▪
M 60		90	▪
M 64		95	▪

Matica NISKA	Fe,Zn, Vzn - kl. 8, kl.10, kl.12	
	INOX - A2, A4	
	ISO 4035	DIN 935




	m	s	cijena
M 8 x 1	5	13	▪
M 10 x 1	6	17	▪
M 10 x 1,25	6	17	▪
M 12 x 1,25	7	19	▪
M 12 x 1,5	7	19	▪
M 14 x 1,5	8	22	▪
M 16 x 1,5	8	24	▪
M 18 x 1,5	9	27	▪
M 20 x 1,5	10	30	▪
M 22 x 1,5	10	32	▪
M 24 x 2	10	36	▪
M 27 x 2	12	41	▪
M 30 x 2	12	46	▪
M 33 x 2	14	50	▪
M 36 x 3	14	55	▪
M 39 x 3	16	60	▪
M 42 x 3	18	65	▪
M 45 x 3	18	70	▪

Matica	Fe,Zn, Vzn - kl. 8, kl.10, kl.12	
	INOX - A2, A4	
	-	DIN 937



M	m	s	n	W	cijena
6	6	10	2	3,5	▪
8	8	13	2,5	4,5	▪
10	9	17	2,8	5	▪
12	10	19	3,5	6	▪
14	11	22	3,5	7	▪
16	12	24	4,5	7	▪
18	13	27	4,5	8	▪
20	13	30	4,5	8	▪
22	15	32	5,5	9	▪
24	15	36	5,5	9	▪
27	17	41	5,5	11	▪
30	18	46	7	11	▪
33	20	50	7	13	▪
36	20	55	7	13	▪
39	22	60	7	13	▪
42	23	65	9	14	▪
45	25	70	9	16	▪
48	25	75	9	16	▪
52	27	80	9	18	▪
56		85			▪
60		90			▪
64		95			▪


Vijak dvostrani (strojni) BREZON	Fe,Zn	
	5.8, 8.8, 10.9	
	-	DIN 938



d1	M6	M8	M10	M12	M14	M16	M20	M24
b1	6	8	10	12	14	16	20	24
x1	2,5	3,2	3,8	4,3	5	5	6,3	7,5
x2	1,25	1,6	1,9	2,2	2,5	2,5	3,2	3,8
b2<125	18	22	26	30	34	38	46	54
b2<200	24	28	32	36	40	44	53	60
b2>200	-	-	45	49	53	57	65	73

M/L	6	8	10	12	14	16	20	24
16	•	•	•	•	•	•	•	•
20	•	•	•	•	•	•	•	•
20	•	•	•	•	•	•	•	•
25	•	•	•	•	•	•	•	•
30	•	•	•	•	•	•	•	•
35	•	•	•	•	•	•	•	•
40	•	•	•	•	•	•	•	•
45	•	•	•	•	•	•	•	•
50	•	•	•	•	•	•	•	•
55	•	•	•	•	•	•	•	•
60	•	•	•	•	•	•	•	•
70	•	•	•	•	•	•	•	•
80	•	•	•	•	•	•	•	•

Vijak dvostrani (strojni) BREZON	Fe,Zn	
	5.8, 8.8, 10.9	
	-	DIN 939



d1	M6	M8	M10	M12	M16	M20	M24
b1	7,5	10	12	15	20	25	30
x1	2,5	3,2	3,8	4,3	5	6,3	7,5
x2	1,25	1,6	1,9	2,2	2,5	3,2	3,8
b2<125	18	22	26	30	38	46	54
b2<200	24	28	32	36	44	53	60
b2>200	-	-	45	49	57	65	73

M/L	6	8	10	12	16	20	24
16	•	•	•	•	•	•	•
20	•	•	•	•	•	•	•
20	•	•	•	•	•	•	•
25	•	•	•	•	•	•	•
30	•	•	•	•	•	•	•
35	•	•	•	•	•	•	•
40	•	•	•	•	•	•	•
45	•	•	•	•	•	•	•
50	•	•	•	•	•	•	•
55	•	•	•	•	•	•	•
60	•	•	•	•	•	•	•
70	•	•	•	•	•	•	•
80	•	•	•	•	•	•	•


Vijak matični Finis navoj	Fe,Zn	
	8.8, 10.9	
	ISO 8765	DIN 960



d	M 10	M 10	M 12	M12	M14	M16	M 18	M 20	M 24
S din/iso	17/16	17/16	19/18	19/18	22/21	24	27	30	36
K	6,4	6,4	7,5	7,5	8,8	10	11,5	12,5	15
b2<125	26	26	30	30	34	38	42	46	54
b2<200	32	32	36	36	40	44	48	52	60
b2>200	45	45	49	49	53	57	61	65	73


M/L	M10x1	M10x1,25	M12x1,25	M12x1,5	M14x1,5	M16x1,5	M18x1,5	M20x1,5	M24x2
40	•	•	•	•	•	•	•	•	•
45	•	•	•	•	•	•	•	•	•
50	•	•	•	•	•	•	•	•	•
55	•	•	•	•	•	•	•	•	•
60	•	•	•	•	•	•	•	•	•
65	•	•	•	•	•	•	•	•	•
70	•	•	•	•	•	•	•	•	•
75	•	•	•	•	•	•	•	•	•
80	•	•	•	•	•	•	•	•	•
85	•	•	•	•	•	•	•	•	•
90	•	•	•	•	•	•	•	•	•
95	•	•	•	•	•	•	•	•	•
100	•	•	•	•	•	•	•	•	•
110	•	•	•	•	•	•	•	•	•
120	•	•	•	•	•	•	•	•	•
130	•	•	•	•	•	•	•	•	•
140	•	•	•	•	•	•	•	•	•
150	•	•	•	•	•	•	•	•	•
160	•	•	•	•	•	•	•	•	•
170	•	•	•	•	•	•	•	•	•
180	•	•	•	•	•	•	•	•	•
190	•	•	•	•	•	•	•	•	•
200	•	•	•	•	•	•	•	•	•
220	•	•	•	•	•	•	•	•	•
240	•	•	•	•	•	•	•	•	•

Vijak udesni Finis navoj	Fe,Zn	
	8.8, 10.9	
	ISO 8676	DIN 961





d	M8	M 10	M 10	M 12	M12	M14	M16	M 18	M 20	M 24
S din/iso	13	17/16	17/16	19/18	19/18	22/21	24	27	30	36
K	5,3	6,4	6,4	7,5	7,5	8,8	10	11,5	12,5	15
A max	3,75	4,5	4,5	5,25	5,25	6	6	7,5	7,5	9

M/L	M8x1	M10x1	M10x1,25	M12x1,25	M12x1,5	M14x1,5	M16x1,5	M18x1,5	M20x1,5	M24x2
16	•	•	•	•	•	•	•	•	•	•
20	•	•	•	•	•	•	•	•	•	•
25	•	•	•	•	•	•	•	•	•	•
30	•	•	•	•	•	•	•	•	•	•
35	•	•	•	•	•	•	•	•	•	•
40	•	•	•	•	•	•	•	•	•	•
45	•	•	•	•	•	•	•	•	•	•
50	•	•	•	•	•	•	•	•	•	•
55	•	•	•	•	•	•	•	•	•	•
60	•	•	•	•	•	•	•	•	•	•
65	•	•	•	•	•	•	•	•	•	•
70	•	•	•	•	•	•	•	•	•	•
80	•	•	•	•	•	•	•	•	•	•
90	•	•	•	•	•	•	•	•	•	•
100	•	•	•	•	•	•	•	•	•	•
120	•	•	•	•	•	•	•	•	•	•

Vijak sa upuštenom glavom	Fe, Zn	
	INOX - A2, A4, Mesing	
	ISO 2009	DIN 963


Vijak sa upuštenom lečastom glavom	Fe, Zn	
	INOX - A2, A4, Mesing	
	ISO 2010	DIN 964

Vijak sa upuštenom glavom kižni PH	Fe, Zn	
	INOX - A2, A4, Mesing	
	ISO 7046	DIN 965

Vijak sa upuštenom lečastom glavom križni PH	Fe, Zn	
	INOX - A2, A4, Mesing	
	ISO 7047	DIN 966


d/l	2,5	3	4	5	6	8	10	12
4	■	■	■	■	■	■	■	■
5	■	■	■	■	■	■	■	■
6	■	■	■	■	■	■	■	■
7	■	■	■	■	■	■	■	■
8	■	■	■	■	■	■	■	■
10	■	■	■	■	■	■	■	■
12	■	■	■	■	■	■	■	■
14	■	■	■	■	■	■	■	■
16	■	■	■	■	■	■	■	■
18	■	■	■	■	■	■	■	■
20	■	■	■	■	■	■	■	■
22	■	■	■	■	■	■	■	■
25	■	■	■	■	■	■	■	■
30	■	■	■	■	■	■	■	■
35	■	■	■	■	■	■	■	■
40	■	■	■	■	■	■	■	■
45	■	■	■	■	■	■	■	■
50	■	■	■	■	■	■	■	■
55	■	■	■	■	■	■	■	■
60	■	■	■	■	■	■	■	■
65	■	■	■	■	■	■	■	■
70	■	■	■	■	■	■	■	■
75	■	■	■	■	■	■	■	■
80	■	■	■	■	■	■	■	■
90	■	■	■	■	■	■	■	■
100	■	■	■	■	■	■	■	■

Šipka NAVOJNA	Fe, Zn - kl. 8, kl.10, kl.12	
	INOX - A2, A4,	
	-	DIN 976




d	cijena
M 3	▪
M 4	▪
M 5	▪
M 6	▪
M 8	▪
M 10	▪
M 12	▪
M 14	▪
M 16	▪
M 18	▪
M 20	▪
M 22	▪
M 24	▪
M 27	▪
M 30	▪
M 42	▪
M 45	▪
M 48	▪

Šipka NAVOJANA od 2 i 3 metara	Fe, Zn - kl. 8, kl.10, kl.12	
	INOX - A2, A4,	
	-	DIN 976



d	cijena
M 8	▪
M 10	▪
M 12	▪
M 14	▪
M 16	▪
M 18	▪
M 20	▪
M 22	▪
M 24	▪
M 27	▪
M 30	▪

Matica STOP samoosiguravajuća	Fe,Zn - kl. 8, kl.10	
	INOX - A2, A4	
	ISO 7042	DIN 980




	h	m	s	cijena
M 5	5,1	2,75	8	▪
M 6	6	3,3	10	▪
M 8	8	4,4	13	▪
M 10	10	5,5	17	▪
M 12	12	6,6	19	▪
M 14	14	7,7	22	▪
M 16	16	8,8	24	▪
M 18	18	9,9	27	▪
M 20	20	11	30	▪
M 22	22	12,2	32	▪
M 24	24	13,2	36	▪

Fini navoj

	H	M	S	cijena
8x1	8	4,4	13	▪
10x1	10	5,5	17	▪
12x1,5	12	6,6	19	▪
14x1,5	14	7,7	22	▪
16x1,5	16	8,8	24	▪
18x1,5	18	9,9	27	▪
20x1,5	20	11	30	▪

Matica s utorima KM – MATICA	Fe,Zn	
	-	DIN 981




	d1	d2	d3	h	b	t	cijena
KM0	M10 X 0,75	18	13,5	4	3	2	▪
KM1	M 12 X 1	22	17	4	3	2	▪
KM2	M 15 X 1	25	21	5	4	2	▪
KM3	M 17 X 1	28	24	5	4	2	▪
KM4	M 20 X 1	32	26	6	4	2	▪
KM5	M 25 X 1,5	38	32	7	5	2	▪
KM6	M 30 X 1,5	45	38	7	5	2	▪
KM7	M 35 X 1,5	52	44	8	5	2	▪
KM8	M 40 X 1,5	58	50	9	6	2,5	▪
KM9	M 45 X 1,5	65	56	10	6	2,5	▪
KM10	M 50 X 1,5	70	61	11	6	2,5	▪
KM11	M 55 X 2	75	67	11	7	3	▪
KM12	M 60 X 2	80	73	11	7	3	▪
KM13	M 65 X 2	85	79	12	7	3	▪
KM14	M 70 X 2	92	85	12	8	3,5	▪
KM15	M 75 X 2	98	90	13	8	3,5	▪
KM16	M 80 X 2	105	95	15	8	3,5	▪
KM17	M 85 X 2	110	102	15	8	3,5	▪
KM18	M 90 X 2	120	108	16	10	4	▪
KM19	M 95 X 2	125	113	17	10	4	▪
KM20	M 100 X 2	130	120	18	10	4	▪
KM22	M 110 X 2	145	133	19	12	5	▪
KM23	M 115 X 2	150	137	19	12	5	▪
KM24	M 120 X 2	155	138	20	12	5	▪
KM25	M 125 X 2	160	148	21	12	5	▪
KM26	M 130 X 2	165	149	21	12	5	▪
KM27	M 135 X 2	175	160	22	14	6	▪
KM28	M 140 X 2	180	160	22	14	6	▪
KM29	M 145 X 2	190	171	24	14	6	▪
KM30	M 150 X 2	195	171	24	14	6	▪

Matica STOP samoosiguravajuća

Fe,Zn - kl. 8, kl.10

INOX - A2, A4

DIN 982




	h	m	s	cijena
M 4	6	2,9	7	
M 5	6,3/6,8	4,4	8	•
M 6	8	4,9	10	•
M 8	9,5	6,44	13	•
M 10	11,5/11,9	8,04	17/16	•
M 12	14/14,9	10,37	19/18	•
M 14	16/17	12,1	22/21	•
M 16	18/19,1	14,1	24	•
M 20	20/22,8	16,9	30	•
M 24	28/27,1	20,2	36	•

Fini navoj


	h	m	s	cijena
M10 X 1	11,5/11,9	8,04	17/16	•
M 12 X 1,5	14/14,9	10,37	19/18	•
M 14 X 1,5	16/17	12,1	22/21	•
M 16 X 1,5	18/19,1	14,1	24	•
M 20 X 1,5	22/22,8	16,9	30	•
M 24 X 2	28/27,1	20,2	36	•

Matica STOP samoosiguravajuća	Fe, Zn - kl. 8, kl.10, kl.12	
	INOX - A2, A4	
	ISO 7042	DIN 985



	h	m	s	cijena
M 3	4	2,4	5,5	•
M 4	5	2,9	7	•
M 5	5	3,2	8	•
M 6	6	4	10	•
M 7	7,5	4,7	11	•
M 8	8	5,5	13	•
M 10	10	6,5	17	•
M 12	12	8	19	•
M 14	14	9,5	22	•
M 16	16	10,5	24	•
M 18	18,5	13	27	•
M 20	20	14	30	•
M 22	22	15	32	•
M 24	24	15	36	•
M 27	27	17	41	•
M 30	30	19	46	•
M 33	33	22	50	•
M 36	36	25	55	•
M 39	39	27	60	•
M 42	42	29	65	•
M 45	45	32	70	•
M 48	48	36	75	•

Matica STOP samoosiguravajuća	Fe, Zn - kl. 8, kl.10, kl.12	
	INOX - A2, A4	
	ISO 7042	DIN 985



Finis navoj


	h	m	s	cijena
10x1,25	10	6,5	17	▪
12x1,25	12	8	19	▪
12x1,5	12	8	19	▪
14x1,5	14	9,5	22	▪
16x1,5	16	10,5	24	▪
18x1,5	18,5	13	27	▪
20x1,5	20	14	30	▪
22x1,5	22	15	32	▪
24x2	24	15	36	▪
27x2	27	17	41	▪
30x2	30	19	46	▪
33x2	33	22	50	▪
36x3	36	25	55	▪
39x3	39	27	60	▪
42x3	42	29	65	▪
45x3	45	32	70	▪
48x3	48	36	75	▪

Podloška ODSTOJNA

Fe

-

DIN 988




d	d1	d2	S	cijena
3*6 Fe s=0,1	3	6	0,1	▪
3*6 Fe s=0,2	3	6	0,2	▪
3*6 Fe s=0,3	3	6	0,3	▪
3*6 Fe s=0,5	3	6	0,5	▪
4*8 Fe s=0,1	4	8	0,1	▪
4*8 Fe s=0,2	4	8	0,2	▪
4*8 Fe s=0,3	4	8	0,3	▪
4*8 Fe s=0,5	4	8	0,5	▪
5*10 Fe s=0,1	5	10	0,1	▪
5*10 Fe s=0,2,	5	10	0,2	▪
5*10 Fe s=0,25	5	10	0,25	▪
5*10 Fe s=0,3	5	10	0,3	▪
5*10 Fe s=0,5	5	10	0,5	▪
5*10 Fe s=1	5	10	1	▪
6*12 Fe s=0,1	6	12	0,1	▪
6*12 Fe s=0,2	6	12	0,2	▪
6*12 Fe s=0,25	6	12	0,25	▪
6*12 Fe s=0,3	6	12	0,3	▪
6*12 Fe s=0,5	6	12	0,5	▪
6*12 Fe s=1	6	12	1	▪
7*13 Fe s=0,3	7	13	0,3	▪
7*13 Fe s=0,5	7	13	0,5	▪
7*13 Fe s=1	7	13	1	▪
8*12 Fe s=0,5	8	12	0,5	▪
8*14 Fe s=0,1	8	14	0,1	▪
8*14 Fe s=0,2	8	14	0,2	▪
8*14 Fe s=0,25	8	14	0,25	▪
8*14 Fe s=0,3	8	14	0,3	▪
8*14 Fe s=0,5	8	14	0,5	▪
8*14 Fe s=1	8	14	1	▪
9*15 Fe s=0,1	9	15	0,1	▪
9*15 Fe s=0,2	9	15	0,2	▪
9*15 Fe s=0,5	9	15	0,5	▪
9*15 Fe s=1	9	15	1 / 1,2	▪
9*15 Fe s=1,2	9	15	1,2	▪

Podloška ODSTOJNA

Fe

-

DIN 988




d	d1	d2	s	cijena
10*16 Fe s=0,1	10	16	0,1	▪
10*16 Fe s=0,2	10	16	0,2	▪
10*16 Fe s=0,25	10	16	0,25	▪
10*16 Fe s=0,3	10	16	0,3	▪
10*16 Fe s=0,5	10	16	0,5	▪
10*16 Fe s=1	10	16	1	▪
10*16 Fe s=1,5	10	18	1,5	▪
12*18 Fe s=0,1	12	18	0,1	▪
12*18 Fe s=0,2	12	18	0,2	▪
12*18 Fe s=0,25	12	18	0,25	▪
12*18 Fe s=0,3	12	18	0,3	▪
12*18 Fe s=0,5	12	18	0,5	▪
12*18 Fe s=1	12	18	1	▪
12*18 Fe s=2	12	18	2	▪
13*19 Fe s=0,1	13	19	0,1	▪
13*19 Fe s=0,5	13	19	0,5	▪
13*19 Fe s=1	13	19	1	▪
14*20 Fe s=0,1	14	20	0,1	▪
14*20 Fe s=0,2	14	20	0,2	▪
14*20 Fe s=0,25	14	20	0,25	▪
14*20 Fe s=0,5	14	20	0,5	▪
14*20 Fe s=1	14	20	1	▪
15*21 Fe s=0,1	15	21	0,1	▪
15*21 Fe s=0,15	15	21	0,15	▪
15*21 Fe s=0,2	15	21	0,2	▪
15*21 Fe s=0,3	15	21	0,3	▪
15*21 Fe s=0,5	15	21	0,5	▪
15*21 Fe s=1	15	21	1	▪
15*21 Fe s=2	15	21	2	▪
15*22 Fe s=0,5	15	22	0,5	▪
15*22 Fe s=1	15	22	1	▪
16*22 Fe s=0,1	16	22	0,1	▪
16*22 Fe s=0,2	16	22	0,2	▪
16*22 Fe s=0,25	16	22	0,25	▪
16*22 Fe s=0,5	16	22	0,5	▪
16*22 Fe s=1	16	22	1	▪

Podloška ODSTOJNA

Fe

-

DIN 988




d	d1	d2	S	cijena
17*24 Fe s=0,1	17	24	0,1	▪
17*24 Fe s=0,15	17	24	0,15	▪
17*24 Fe s=0,2	17	24	0,2	▪
17*24 Fe s=0,3	17	24	0,3	▪
17*24 Fe s=0,5	17	24	0,5	▪
17*24 Fe s=1	17	24	1	▪
17*24 Fe s=2	17	24	2	▪
18*25 Fe s=0,1	18	25	0,1	▪
18*25 Fe s=0,2	18	25	0,2	▪
18*25 Fe s=0,25	18	25	0,25	▪
18*25 Fe s=0,3	18	25	0,3	▪
18*25 Fe s=0,5	18	25	0,5	▪
18*25 Fe s=1	18	25	1	▪
20-28 Fe s=	18	25	1	▪
20*28 Fe s=0,1	20	28	0,1	▪
20*28 Fe s=0,15	20	28	0,15	▪
20*28 Fe s=0,2	20	28	0,2	▪
20*28 Fe s=0,25	20	28	0,25	▪
20*28 Fe s=0,3	20	28	0,3	▪
20*28 Fe s=0,5	20	28	0,5	▪
20*28 Fe s=1	20	28	1	▪
20*28 Fe s=1,5	20	28	1,5	▪
22*30 Fe s=0,1	22	30	0,1	▪
22*30 Fe s=0,2	22	30	0,2	▪
22*30 Fe s=1	22	30	1	▪
22*30 Fe s=1,5	22	30	1,5	▪
22*32 Fe s=0,1	22	32	0,1	▪
22*32 Fe s=0,2	22	32	0,2	▪
22*32 Fe s=0,3	22	32	0,3	▪
22*32 Fe s=0,5	22	32	0,5	▪
22*32 Fe s=1	22	32	1	▪
25*35 Fe s=0,1	25	35	0,1	▪
25*35 Fe s=0,2	25	35	0,2	▪
25*35 Fe s=0,25	25	35	0,25	▪
25*35 Fe s=0,3	25	35	0,3 / 1,2	▪
25*35 Fe s=0,5	25	35	0,5	▪
25*35 Fe s=1	25	35	1	▪

Podloška ODSTOJNA

Fe

-

DIN 988




d	d1	d2	s	cijena
25*35 Fe s=1,5	25	35	1,5	▪
25*36 Fe s=0,5	25	36	0,5	▪
25*36 Fe s=1	25	36	1	▪
26*37 Fe s=0,1	26	37	0,1	▪
26*37 Fe s=0,2	26	37	0,2	▪
26*37 Fe s=0,25	26	37	0,25	▪
26*37 Fe s=0,5	26	37	0,5	▪
26*37 Fe s=1	26	37	1	▪
28*40 Fe s=0,1	28	40	0,1	▪
28*40 Fe s=0,2	28	40	0,2	▪
28*40 Fe s=0,25	28	40	0,25	▪
28*40 Fe s=0,3	28	40	0,3	▪
28*40 Fe s=0,5	28	40	0,5	▪
28*40 Fe s=1	28	40	1	▪
30*42 Fe s=0,1	30	42	0,1	▪
30*42 Fe s=0,2	30	42	0,2	▪
30*42 Fe s=0,25	30	42	0,25	▪
30*42 Fe s=0,3	30	42	0,3	▪
30*42 Fe s=0,5	30	42	0,5	▪
30*42 Fe s=1	30	42	1	▪
32*45 Fe s=0,1	32	45	0,1	▪
32*45 Fe s=0,25	32	45	0,25	▪
32*45 Fe s=0,3	32	45	0,3	▪
32*45 Fe s=0,5	32	45	0,5	▪
32*45 Fe s=1	32	45	1	▪
32*45 Fe s=1,5	32	45	1,5	▪
35*45 Fe s=0,1	35	45	0,1	▪
35*45 Fe s=0,2	35	45	0,2	▪
35*45 Fe s=0,3	35	45	0,3	▪
35*45 Fe s=0,5	35	45	0,5	▪
35*45 Fe s=1	35	45	1	▪
35*45 Fe s=1,5	35	45	1,5	▪
35*45 Fe s=2	35	45	2	▪
36*45 Fe s=1	36	45	1	▪

Podloška ODSTOJNA

Fe

-

DIN 988




d	d1	d2	s	cijena
37*47 Fe s=0,1	37	47	0,1	▪
37*47 Fe s=0,2	37	47	0,2	▪
37*47 Fe s=0,25	37	47	0,25	▪
37*47 Fe s=0,3	37	47	0,3	▪
37*47 Fe s=0,5	37	47	0,5	▪
37*47 Fe s=1	37	47	1	▪
40*50 Fe s=0,1	40	50	0,1	▪
40*50 Fe s=0,2	40	50	0,2	▪
40*50 Fe s=0,3	40	50	0,3	▪
40*50 Fe s=0,5	40	50	0,5	▪
40*50 Fe s=1	40	50	1	▪
40*50 Fe s=1,5	40	50	1,5	▪
42*52 Fe s=0,1	42	52	0,1	▪
42*52 Fe s=0,2	42	52	0,2	▪
42*52 Fe s=0,3	42	52	0,3	▪
42*52 Fe s=0,5	42	52	0,5	▪
42*52 Fe s=1	42	52	1	▪
42*52 Fe s=2	42	52	2	▪
45*55 Fe s=0,1	45	55	0,1	▪
45*55 Fe s=0,2	45	55	0,2	▪
45*55 Fe s=0,3	45	55	0,3	▪
45*55 Fe s=0,5	45	55	0,5	▪
45*55 Fe s=1	45	55	1	▪
48*60 Fe s=0,5	48	60	0,5	▪
48*60 Fe s=1	48	60	1	▪
50*62 Fe s=0,1	50	62	0,1	▪
50*62 Fe s=0,2	50	62	0,2	▪
50*62 Fe s=0,3	50	62	0,3	▪
50*62 Fe s=0,5	50	62	0,5	▪
50*62 Fe s=1	50	62	1	▪
50*62 Fe s=1,5	50	62	1,5	▪
50*62 Fe s=2	50	62	2	▪
52*65 Fe s=0,1	52	65	0,1	▪
52*65 Fe s=0,5	52	65	0,5	▪
52*65 Fe s=1	52	65	1	▪
52*65 Fe s=2	52	65	2	▪

Podloška ODSTOJNA

Fe


-

DIN 988




d	d1	d2	S	cijena
55*68 Fe s=0,1	55	68	0,1	▪
55*68 Fe s=0,2	55	68	0,2	▪
55*68 Fe s=0,5	55	68	0,5	▪
55*68 Fe s=1	55	68	1	▪
55*68 Fe s=2	55	68	2	▪
56*72 Fe s=0,1	56	72	0,1	▪
56*72 Fe s=0,5	56	72	0,5	▪
56*72 Fe s=1	56	72	1	▪
60*75 Fe s=0,1	60	75	0,1	▪
60*75 Fe s=0,3	60	75	0,3	▪
60*75 Fe s=0,5	60	75	0,5	▪
60*75 Fe s=1	60	75	1	▪
63*80 Fe s=0,1	63	80	0,1	▪
63*80 Fe s=0,2	63	80	0,2	▪
63*80 Fe s=0,3	63	80	0,3	▪
63*80 Fe s=0,5	63	80	0,5	▪
63*80 Fe s=1	63	80	1	▪
63*80 Fe s=2	63	80	2	▪
65*85 Fe s=0,1	65	85	0,1	▪
65*85 Fe s=0,2	65	85	0,2	▪
65*85 Fe s=0,5	65	85	0,5	▪
65*85 Fe s=2	65	85	2	▪
70*90 Fe s=0,1	70	90	0,1	▪
70*90 Fe s=0,2	70	90	0,2	▪
70*90 Fe s=0,3	70	90	0,3	▪
70*90 Fe s=0,5	70	90	0,5	▪
70*90 Fe s=1	70	90	1	▪
75*95 Fe s=0,1	75	95	0,1	▪
75*95 Fe s=1	75	95	1	▪
80*100 Fe s=0,1	80	100	0,1	▪
80*100 Fe s=0,2	80	100	0,2	▪
80*100 Fe s=0,3	80	100	0,3	▪
80*100 Fe s=0,5	80	100	0,5	▪
80*100 Fe s=1	80	100	1	▪
90*110 Fe s=0,5	90	110	0,5	▪
90*110 Fe s=1	90	110	1	▪

Podloška	Fe,Zn,	
	-	DIN 1052




d1	d2	s	cijena
A 12	58	9	▪
A 16	68	6	▪
A 20	80	8	▪
A 24	92	8	▪
A 24	105	8	▪

Podloška	Fe,Zn,	
	ISO 8738	DIN 1440




d1	d2	s	cijena
A 3	6	0,8	▪
A 4	8	0,8	▪
A 5	10	0,8	▪
A 6	12	1,6	▪
A 8	16	2	▪
A 10	20	2,5	▪
A 12	25	3	▪
A 13	25	3	▪
A 14	28	3	▪
A 16	28	3	▪
A 18	30	4	▪
A 20	32	4	▪
A 22	34	4	▪
A 23	36	4	▪
A 25	40	4	▪
A 26	40	5	▪
A 28	42	5	▪
A 30	45	5	▪
A 32	50	5	▪
A 35	52	6	▪
A 36	52	6	▪
A 40	58	6	▪

Podloška	Fe,Zn,	
	-	DIN 1441






d1	d2	s	cijena
A 5,5	10	0,8	▪
A 7	12	1,6	▪
A 8	14	1,6	▪
A 9	16	2	▪
A 11	20	2,5	▪
A 13	25	3	▪
A 15	28	3	▪
A 17	28	3	▪
A 19	30	4	▪
A 21	32	4	▪
A 23	34	4	▪
A 24	38	4	▪
A 25	38	4	▪
A 26	40	5	▪
A 27	40	5	▪
A 28	40	5	▪
A 29	45	5	▪
A 31	45	5	▪
A 34	50	5	▪
A 37	52	6	▪
A 41	58	6	▪

Natezni vijak K/O komercijalni	Fe, Zn	
	HRN M.B5.102	DIN 1480



M	l	l1	d	cijena
5	67	30	8	▪
6	84	40	10	▪
8	118	51	11	▪
10	128	58	12	▪
12	175	85	16,5	▪
14	188	90	18	▪
16	227	92	20	▪
18	246	95	22	▪
20	275	110	22	▪
22	282	120	24	▪
24	310	158	29	▪
30	405	170	32	▪
32	405	172	33	▪
36	425	215	37	▪


Natezni vijak K/O	Fe, Zn	
	HRN M.B5.102	DIN 1480



M	d3	b	l1	l3	l4	l5	nosivost	cjena
6	9	8,5	110	85	80	172-252	0,20	▪
8	10	11,0	110	85	84	182-257	0,40	▪
10	14	13,5	125	112	105	213-298	0,65	▪
12	16	15,5	125	117	115	238-318	0,95	▪
14	18	18,5	140	122	122	263-353	1,25	▪
16	22	19,0	170	138	165	320-430	1,70	▪
20	24	20,5	200	170	167	367-497	2,70	▪
22	27	26,0	220	185	167	398-543	2,75	▪
24	27	26,0	255	205	205	447-617	4,0	▪
30	31	33,0	255	225	255	512-662	6,25	▪
36	43	44,0	295	255	276	588-748	7,0	▪


Zateznice

Fe, Zn



M	b	c	d	e	j	k	l	m	n	o	Nosivost	cjena
6	105	15	11	5	6	9	5	21	175	3505	0,20	▪
8	127	18	13	6	6	9	6,5	21	203	305	0,32	▪
10	152	21	16	8	8	11	8	21	235	349	0,50	▪
12	229	25	19	9	9	19	10	35	343	524	0,70	▪
16	229	27	22	11	9	22	12	51	361	550	1,20	▪
20	229	34	28	11	11	22	16	48	387	550	1,50	▪
22	305	38	32	13	13	25	20	60	476	702	2,20	▪
24	356	42	32	13	14	32	22	65	556	822	5,0	▪
27	356	45	41	13	14	32	22	65	559	822	5,0	▪
33	381	51	41	14	19	38	24	76	604	872	7,0	▪
36	381	54	44	16	19	38	27	76	640	872	10,0	▪
39	407	57	44	16	20	47	32	90	670	949	10,0	▪
45	407	70	51	17	25	51	36	111	705	959	13,0	▪
48	407	76	70	19	25	51	42	121	743	977	17,0	▪
50	500	76	80	19,5	32	55	42	121	900	1300	17,0	▪


Zatik elastični	Čelik pocinčani, Fe	
	ISO 8752	DIN 1481



d	2	3	4	5	6	8	10
10	▪	▪	▪				
20	▪	▪	▪	▪			
22	▪	▪	▪	▪			
30	▪	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪	▪
50		▪	▪	▪	▪	▪	▪
70				▪	▪	▪	▪
80				▪	▪	▪	▪
100				▪	▪	▪	▪
160						▪	▪


d	12	13	14	16	18	20
50	▪	▪	▪	▪	▪	▪
70	▪	▪	▪	▪	▪	▪
80	▪	▪	▪	▪	▪	▪
100	▪	▪	▪	▪	▪	▪
120	▪	▪	▪	▪	▪	▪
160	▪	▪	▪	▪	▪	▪
200	▪	▪	▪	▪	▪	▪

Matica	Fe,Zn	
	INOX A2, A4, Mesing	
	-	DIN 1587



M	dk	m	r	s	t	w	cijena
4	6,5	3,2	3,25	7	5,26	2	•
5	7,5	4	3,75	8	7,721	2	•
6	9,5	5	4,75	10	7,71	2	•
8	12,5	6,5	6,25	13	10,65	2	•
10	15	8	7,5	17/16	12,65	2	•
12	17	10	8,5	19/18	15,65	3	•
14	20	11	10	22/21	17,65	4	•
16	23	13	11,5	24	20,58	4	•
20	28	16	14	30	25,58	5	•

Matica za pričvršćivanje ležaja	Fe	
	-	DIN 1804



M	d2	d3	b	h	t	z	cijena
16x1,5	32	27	5	7	2	0,5	•
18x1,5	34	28	6	8	2,5	0,5	•
20x1,5	36	30	6	8	2,5	0,5	•
22x1,5	40	34	6	9	2,5	0,5	•
24x1,5	42	36	6	9	2,5	0,5	•
26x1,5	45	38	7	10	3	0,5	•
28x1,5	50	43	7	10	3	0,5	•
30x1,5	50	43	7	10	3	0,5	•
32x1,5	52	45	7	11	3	0,5	•
35x1,5	55	48	7	11	3	0,5	•
38x1,5	58	50	8	11	3,5	0,5	•
40x1,5	62	54	8	12	3,5	0,5	•
42x1,5	62	54	8	12	3,5	0,5	•
45x1,5	68	60	8	12	3,5	0,5	•
48x1,5	75	67	8	13	3,5	0,5	•
50x1,5	75	67	8	13	3,5	0,5	•
52x1,5	80	70	10	13	4	0,5	•
55x1,5	80	70	10	13	4	0,5	•
58x1,5	90	80	10	13	4	0,5	•
60x1,5	90	80	10	13	4	0,5	•
62x1,5	95	85	10	14	4	0,5	•
65x1,5	95	85	10	14	4	0,5	•
68x1,5	100	90	10	14	4	0,5	•
70x1,5	100	90	10	14	4	0,5	•
72x1,5	110	100	10	14	4	0,5	•
75x1,5	115	105	10	16	4	0,5	•
80x2	115	105	10	16	4	1	•
85x2	120	110	10	16	4	1	•

Karabiner OKRETNI - tip Z	Zn	
	-	DIN 5025



dužina	Unutarnji promjer ringal	cijena
50	10	▪
75	10	▪
75	12	▪
78	16	▪
82	50	▪
110	32	▪

Karabiner VATROGASNI

Zn

-

DIN 5299



Tip A



Tip B




Tip C



Tip D



Tip E



veličina	l	d	c	cijena
4	40	7	7	▪
5	50	8	7	▪
6	60	9	8	▪
7	70	10	8	▪
8	80	12	9	▪
9	90	12	10	▪
10	100	15	11	▪
11	120	18	16	▪
12	140	20	19	▪
13	160	22	25	▪
14	180	22	35	▪
15	200	22	35	▪

Karabiner OKRETNi - tip B	Zn	
	-	DIN 5287




l	m	d1	cijena
25	3,5	6,5	▪
30	4,5	7	▪
35	5	7	▪
40	5,5	9	▪
45	6	9	▪
50	6,5	10	▪
60	7,5	12	▪
70	9	15	▪
80	10	18	▪

Osigurač LIMENI

Fe


-

DIN 5406




MB	dimenzija	d1	d2	e	f	b1	s	cijena
0	M10X0,75	10	21	3	8,5	3	1	▪
1	M12X1	12	25	3	10,5	3	1	▪
2	M15X1	15	28	4	13,5	4	1	▪
3	M17X1	17	32	4	15,5	4	1	▪
4	M20X1	20	36	4	18,5	4	1	▪
5	M25X1,5	25	42	5	23	5	1,25	▪
6	M30X1,5	30	49	5	27,5	5	1,25	▪
7	M35X1,5	35	57	6	32,5	5	1,25	▪
8	M40X1,5	40	62	6	37,5	6	1,25	▪
9	M45X1,5	45	69	6	42,5	6	1,25	▪
10	M50X1,5	50	74	6	47,5	6	1,25	▪
11	M55X2	55	81	8	52,5	7	1,5	▪
12	M60X2	60	86	8	57,5	7	1,5	▪
13	M65X2	65	92	8	62,5	7	1,5	▪
14	M70X2	70	98	8	66,5	8	1,5	▪
15	M75X2	75	104	8	71,5	8	1,5	▪
16	M80X2	80	112	10	76,5	8	1,75	▪
17	M85X2	85	119	10	81,5	8	1,75	▪
18	M90X2	90	126	10	86,5	10	1,75	▪
19	M95X2	95	133	10	91,5	10	1,75	▪
20	M100X2	100	142	12	96,5	10	1,75	▪
21	M105X2	105	145	12	100,5	12	1,75	▪
22	M110X2	110	154	12	105,5	12	1,75	▪
23	M115X2	115	159	12	110,5	12	2	▪
24	M120X2	120	164	14	115	12	2	▪
25	M125X2	125	170	14	120	12	2	▪
26	M130X2	130	175	14	125	12	2	▪
27	M135X2	135	185	14	130	14	2	▪
28	M140X2	140	192	16	135	14	2	▪
29	M145X2	145	202	16	140	14	2	▪
30	M150X2	150	205	16	145	14	2	▪

Podloška upuštena - oblik C	Fe,Zn,	
	-	DIN 6319




d1	d3	h1	h2	r	cijena
6,4	12	0,7	2,3	9	▪
8,4	17	0,6	3,2	12	▪
10,5	21	0,8	4	15	▪
13	24	1,1	4,6	17	▪
17	30	1,3	5,3	22	▪
21	36	2	6,3	27	▪
25	44	2,4	8,2	32	▪
31	56	3,6	11,2	41	▪
37	68	4,6	14	50	▪
43	78	6,5	17	58	▪
50	92	8	21	67	▪

Podloška upuštena - oblik D	Fe,Zn,	
	-	DIN 6319




d2	d4	ds	h3	cijena
7,1	12	11	28	▪
9,6	17	14,5	3,5	▪
12	21	18,5	4,2	▪
14,2	24	20	5	▪
19	30	26	6,2	▪
23,2	36	31	7,5	▪
28	44	37	9,5	▪
35	56	49	12	▪
42	68	60	15	▪
49	78	70	18	▪
56	92	82	22	▪

Podloška upuštena - oblik G	Fe,Zn,	
	-	DIN 6319



d2	d4	ds	h3	cijena
12	30	18,5	5	▪
14,2	36	20	6	▪
19	44	26	7	▪
23,2	50	31	8	▪
28	60	37	10	▪


Zatik CILINDRIČNI kaljen,brušen,tolerancija m6	Fe	
	ISO 8734	DIN 6325



d	1	1,5	2	2,5	3	4	5
l2	0,4	0,5	0,6	0,7	0,8	1	1,2
r	1	1,6	2	2,5	3	4	5
z1	0,15	0,23	0,3	0,4	0,45	0,6	0,75
z2	0,08	0,12	0,18	0,25	0,3	0,4	0,5
c	0,2	0,3	0,35	0,4	0,5	0,63	0,98

d	1	1,5	2	2,5	3	4	5
4	▪	▪	▪	▪	▪	▪	▪
5	▪	▪	▪	▪	▪	▪	▪
6	▪	▪	▪	▪	▪	▪	▪
8	▪	▪	▪	▪	▪	▪	▪
10	▪	▪	▪	▪	▪	▪	▪
12	▪	▪	▪	▪	▪	▪	▪
14	▪	▪	▪	▪	▪	▪	▪
16	▪	▪	▪	▪	▪	▪	▪
18	▪	▪	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪	▪	▪
24	▪	▪	▪	▪	▪	▪	▪
26	▪	▪	▪	▪	▪	▪	▪
28	▪	▪	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪	▪	▪
32	▪	▪	▪	▪	▪	▪	▪
36	▪	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪	▪
45	▪	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪	▪


Zatik CILINDRIČNI kaljen,brušen,tolerancija m6	Fe	
	ISO 8734	DIN 6325



d	6	8	10	12	16	20
l2	1,5	1,8	2	2,5	3	4
r	6	8	10	12	16	20
z1	0,9	1,2	1,5	1,8	2,5	3
z2	0,6	0,8	1	1,3	1,7	2
c	1,2	1,6	2	2,5	3	3,5


d	6	8	10	12	16	20
8	▪	▪	▪	▪	▪	▪
10	▪	▪	▪	▪	▪	▪
12	▪	▪	▪	▪	▪	▪
14	▪	▪	▪	▪	▪	▪
16	▪	▪	▪	▪	▪	▪
18	▪	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪	▪
24	▪	▪	▪	▪	▪	▪
26	▪	▪	▪	▪	▪	▪
28	▪	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪	▪
32	▪	▪	▪	▪	▪	▪
36	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪
45	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪
55	▪	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪	▪
70	▪	▪	▪	▪	▪	▪
80	▪	▪	▪	▪	▪	▪
90	▪	▪	▪	▪	▪	▪
100	▪	▪	▪	▪	▪	▪

Matica	Fe,Zn	
	kl.8,kl.10	
	-	DIN 6330




M	d1	m	r	s	cijena
6	7	9	9	10	▪
8	9	12	11	13	▪
10	11,5	15	15	16	▪
12	14	18	17	18	▪
16	18	24	22	24	▪
20	22	30	27	30	▪
24	26	36	32	36	▪
27	29	40	37	41	▪
30	32	45	41	46	▪

Matica s dosjedom	Fe,Zn	
	kl.8,kl.10	
	-	DIN 6331




M	m	d1	a	s	cijena
6	9	14	3	10	▪
8	12	18	3,5	13	▪
10	15	22	4	16	▪
12	18	25	4	18	▪
14	21	28	4	22	▪
16	24	31	5	24	▪
18	27	34	5	27	▪
20	30	37	6	30	▪
22	33	40	6	32	▪
24	36	45	6	36	▪

Matica	Fe,Zn	
	INOX A2, A4	
	-	DIN 6334




	m	s	Zn
M 4	14	7	▪
M 5	15	8	▪
M 6	18	10	▪
M 8	24	13	▪
M 10	30	17	▪
M 12	36	19	▪
M 14	42	22	▪
M 16	48	24	▪
M 18	54	27	▪
M 20	60	30	▪
M 22	66	32	▪
M 24	72	36	▪
M 27	81	41	▪
M 30	90	46	▪

Podloška	Fe,Zn	
	-	DIN 6340




d	d2	s	cijena
6,4	17	3	▪
8,4	23	4	▪
10,5	28	4	▪
13	35	5	▪
17	45	6	▪
21	50	6	▪

Podloška TANJURASTA	Fe,Zn	
	-	DIN 6796




M	d1	d2	H max	H min	s	cijena
3	3,2	7	0,85	0,72	0,6	▪
4	4,3	9	1,3	1,12	1	▪
5	5,3	11	1,55	1,35	1,2	▪
6	6,4	14	2	1,7	1,5	▪
8	8,4	18	2,6	2,24	2	▪
10	10,5	23	3,2	2,8	2,5	▪
12	13	29	3,95	3,43	3	▪
14	15	35	4,65	4,04	3,5	▪
16	17	39	5,25	4,58	4	▪
20	21	45	6,4	5,6	5	▪

Podloška KRUNASTA - oblik A	Zn	
	INOX A2, A4	
	-	DIN 6797




d	d2	s	M	cijena
3,2	6	0,4	3	▪
3,7	7	0,5	3,5	▪
4,3	8	0,5	4	▪
5,3	10	0,6	5	▪
6,4	11	0,7	6	▪
7,4	12,5	0,8	7	▪
8,4	15	0,8	8	▪
10,5	18	0,9	10	▪
13,0	20,5	1	12	▪
15,0	24	1	14	▪
17,0	26	1,2	16	▪
19,0	30	1,4	18	▪
21,0	33	1,4	20	▪
23,0	36	1,5	22	▪
25,0	38	1,5	24	▪

Podloška KRUNASTA - oblik I	Zn	
	INOX A2, A4	
	-	DIN 6797




d	d2	s	M	cijena
3,2	6	0,4	3	▪
3,7	7	0,5	3,5	▪
4,3	8	0,5	4	▪
5,3	10	0,6	5	▪
6,4	11	0,7	6	▪
7,4	12,5	0,8	7	▪
8,4	15	0,8	8	▪
10,5	18	0,9	10	▪
13,0	20,5	1	12	▪
15,0	24	1	14	▪
17,0	26	1,2	16	▪
19,0	30	1,4	18	▪
21,0	33	1,4	20	▪
23,0	36	1,5	22	▪
25,0	38	1,5	24	▪

Podloška KRUNASTA - oblik A	Zn	
	INOX A2, A4	
	-	DIN 6798




d	d2	s	M	cijena
4,3	8	0,5	4	▪
5,3	10	0,6	5	▪
6,4	11	0,7	6	▪
8,4	15	0,8	8	▪
10,5	18	0,9	10	▪
13,0	20,5	1	12	▪
15,0	24	1	14	▪
17,0	26	1,2	16	▪
19,0	30	1,4	18	▪
21,0	33	1,4	20	▪
23,0	36	1,5	22	▪
25,0	38	1,5	24	▪

Podloška KRUNASTA - oblik I	Zn	
	INOX A2, A4	
	-	DIN 6798




d	d2	s	M	cijena
4,3	8	0,5	4	▪
5,3	10	0,6	5	▪
6,4	11	0,7	6	▪
8,4	15	0,8	8	▪
10,5	18	0,9	10	▪
13,0	20,5	1	12	▪
15,0	24	1	14	▪
17,0	26	1,2	16	▪
19,0	30	1,4	18	▪
21,0	33	1,4	20	▪
23,0	36	1,5	22	▪
25,0	38	1,5	24	▪

Uskočnik - oblik I	Fe,Zn	
	INOX A2, A4	
	-	DIN 6799




d1	d	s	za fi d1	m	n	cijena
1,5	4,25	0,4	2-2,5	0,44	0,8	▪
1,9	4,8	0,5	2,5-3	0,54	1	▪
2,3	6,3	0,6	3-4	0,64	1	▪
3,2	7,3	0,6	4-5	0,64	1	▪
4	9,3	0,7	5-7	0,74	1,2	▪
5	11,3	0,7	6-8	0,74	1,2	▪
6	12,3	0,7	7-9	0,74	1,2	▪
7	14,3	0,9	8-11	0,94	1,5	▪
8	16,3	1	9-12	1,05	1,8	▪
9	18,8	1,1	10-14	1,15	2	▪
10	20,4	1,2	11-15	1,25	2	▪
12	23,4	1,3	13-18	1,35	2,5	▪
15	29,4	1,5	16-24	1,55	3	▪
19	37,6	1,75	20-31	1,8	3,5	▪
24	44,6	2	25-38	2,05	4	▪

Klin	Fe,Zn	
	-	DIN 6880



d	h	L	cijena
3x3x1000	3	1000	▪
4x4x1000	4	1000	▪
5x5x1000	5	1000	▪
6x6x1000	6	1000	▪
8x7x1000	8	1000	▪
10x8x1000	10	1000	▪
12x8x1000	12	1000	▪
14x9x1000	14	1000	▪
16x10x1000	16	1000	▪
18x11x1000	18	1000	▪
20x12x1000	20	1000	▪
22x14x1000	22	1000	▪


Klin - oblik A	Fe, Zn	
	-	DIN 6885



d	2	3	4	5	6	8	10	12	14
h	2	3	4	5	6	7	8	8	9
d/d1	6-8	8-10	10-12	12-17	17-22	22-30	30-38	38-40	44-50

d	2	3	4	5	6	8	10	12	14
8	▪	▪	▪						
10	▪	▪	▪	▪	▪				
12	▪	▪	▪	▪	▪				
14	▪	▪	▪	▪	▪				
16	▪	▪	▪	▪	▪	▪			
18	▪	▪	▪	▪	▪	▪			
20	▪	▪	▪	▪	▪	▪			
22	▪	▪	▪	▪	▪	▪	▪	▪	
25	▪	▪	▪	▪	▪	▪	▪	▪	
28	▪	▪	▪	▪	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪	▪	▪	▪	▪
32	▪	▪	▪	▪	▪	▪	▪	▪	▪
36	▪	▪	▪	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪	▪	▪	▪
45	▪	▪	▪	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪	▪	▪	▪
56	▪	▪	▪	▪	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪	▪	▪	▪	▪
63	▪	▪	▪	▪	▪	▪	▪	▪	▪
70	▪	▪	▪	▪	▪	▪	▪	▪	▪


Klin - oblik A	Fe, Zn	
	-	DIN 6885



d	16	18	20	22	25	28	32	36	40
h	10	11	12	14	14	16	18	20	22
d/d1	50-58	58-65	65-75	75-85	85-95	95-110	110-130	130-150	150-170

d	16	18	20	22	25	28	32	36	40
40	▪	▪							
45	▪	▪							
50	▪	▪	▪	▪	▪				
56	▪	▪	▪	▪	▪				
60	▪	▪	▪	▪	▪				
63	▪	▪	▪	▪	▪				
70	▪	▪	▪	▪	▪				
80		▪	▪	▪	▪	▪	▪		
90			▪	▪	▪	▪	▪		
100			▪	▪	▪	▪	▪	▪	
110						▪	▪	▪	
120						▪	▪	▪	
125							▪	▪	
140							▪	▪	▪
160								▪	▪
180								▪	▪
200								▪	▪
280									▪

Klin - oblik A	Fe, Zn	
	-	DIN 6887



d	6	8	10	12	14	16
h	6	7	8	8	9	10
h ₁	6,1	7,2	8,2	8,2	9,2	10,2
h ₂	10	11	12	12	14	16
d/d ₁	17-22	22-30	30-38	38-44	44-50	50-58


d	6	8	10	12	14	16
32	▪	▪				
36	▪	▪				
40	▪	▪	▪	▪		
45	▪	▪	▪	▪		
50		▪	▪	▪		
56		▪	▪	▪	▪	
60		▪	▪	▪	▪	
63		▪	▪	▪	▪	
70			▪	▪	▪	▪
80			▪	▪	▪	▪
90			▪	▪	▪	▪
100			▪	▪	▪	▪

Jezgra za čelično uže

Zn


-

DIN 6899B



veličina	b	h	d	cijena
2,5	3	19	12	▪
3,5	4	21	13	▪
4	5	23	14	▪
5	6	25	16	▪
6	7	28	18	▪
8	9	35	22	▪
10	11	41	26	▪
12	13	48	30	▪
14	15	54	34	▪
16	17	61	38	▪
16	18	64	40	▪
18	20	72	45	▪
20	22	80	50	▪
22	24	90	56	▪
24	26	99	62	▪
26	28	112	70	▪
28	30	120	75	▪
30	32	128	80	▪
32	34	152	95	▪
34	36	160	100	▪
36	38	176	110	▪
38	40	184	115	▪
40	42	192	120	▪
42	45	240	150	▪


Vijak IMBUS - niska glava	Fe, Zn - 8.8, 10.9, 12.9	
	INOX A2, A4	
	-	DIN 6912



d	5	6	8	10	12	14	16	20	24
dk	8,5	10	13	16	18	21	24	30	36
k	3,5	4	5	6,5	7,5	8,5	10	12	14
S	4	5	6	8	10	12	14	17	19
b1<125	16	18	22	26	30	34	38	46	54
b1<200	-	-	-	32	36	40	44	52	60
b1>200	-	-	-	-	-	-	-	65	73

M/L	5	6	8	10	12	14	16	20	24
10	▪	▪							
12	▪	▪							
14	▪	▪	▪						
16	▪	▪	▪						
18	▪	▪	▪						
20	▪	▪	▪	▪	▪				
22	▪	▪	▪	▪	▪				
25	▪	▪	▪	▪	▪				
30	▪	▪	▪	▪	▪	▪	▪		
35	▪	▪	▪	▪	▪	▪	▪		
40	▪	▪	▪	▪	▪	▪	▪	▪	▪
45			▪	▪	▪	▪	▪	▪	▪
50			▪	▪	▪	▪	▪	▪	▪
55			▪	▪	▪	▪	▪	▪	▪
60			▪	▪	▪	▪	▪	▪	▪
65						▪	▪	▪	▪
70						▪	▪	▪	▪
75						▪	▪	▪	▪
80						▪	▪	▪	▪
85						▪	▪	▪	▪
90							▪	▪	▪
100							▪	▪	▪


HV-vijak za čelične konstrukcije	VZn	
	10,9	
	ISO 7412	DIN 6914



d1	M 12	M 16	M 20	M 24	M 27	M 30
b1<125	21	26	31	34	37	40
b2>125	23	28	33	37	39	42
k	8	10	13	15	17	19
s	22	27	32	41	46	50


d	12	16	20	24	27	30
30	▪	▪				
35	▪	▪				
40	▪	▪	▪			
45	▪	▪	▪			
50	▪	▪	▪	▪		
55	▪	▪	▪	▪	▪	
60	▪	▪	▪	▪	▪	
65		▪	▪	▪	▪	
70		▪	▪	▪	▪	▪
75		▪	▪	▪	▪	▪
80		▪	▪	▪	▪	▪
85		▪	▪	▪	▪	▪
90		▪	▪	▪	▪	▪
95		▪	▪	▪	▪	▪
100		▪	▪	▪	▪	▪
105			▪	▪	▪	▪
110			▪	▪	▪	▪
120			▪	▪	▪	▪
125				▪	▪	▪
130				▪	▪	▪

HV - Matica za čelične konstrukcije	VZn, 10,9	
	ISO 7414	DIN 6915




M	m	s	cijena
12	10	22	▪
16	13	27	▪
20	16	32	▪
22	18	36	▪
24	20	41	▪
27	22	46	▪
30	24	50	▪

HV – Podloška za čelične konstrukcije	VZn, 10,9	
	ISO 7416	DIN 6916




M	d1	d2	h	C min	cijena
12	13	24	3	1,6	▪
16	17	30	4	1,6	▪
20	21	37	4	2	▪
22	23	39	4	2	▪
24	25	44	4	2	▪
27	28	50	5	2,5	▪
30	31	56	5	2,5	▪

Podloška - KOSA za I profile	Fe,VZn	
	-	DIN 6917




M	d	a	b	h	cijena
12	13	26	30	6,2/2	▪
16	17	32	36	7,5/2,5	▪
20	21	40	44	9,2/3	▪
22	23	44	50	10/3	▪
24	25	56	56	10,8/3	▪

Podloška - KOSA za U profile	Fe,VZn	
	-	DIN 6918



M	d	a	b	h	cijena
12	13	26	30	6,2/2	▪
16	17	32	36	7,5/2,5	▪
20	21	40	44	9,2/3	▪
22	23	44	50	10/3	▪
24	25	56	56	10,8/3	▪


Vijak	Fe,Zn	
	8,8, 10,9	
	-	DIN 6921



d1	M 6	M 8	M 10	M 12
k	6,6	8,1	9,2	11,5
s	10	13	15	16
dc	14,2	18	22,3	26,6
b1<125	18	22	26	30
b2<200	-	28	32	36


d	6	8	10	12
16	▪	▪		
20	▪	▪	▪	▪
25	▪	▪	▪	▪
30	▪	▪	▪	▪
35	▪	▪	▪	▪
40	▪	▪	▪	▪
45	▪	▪	▪	▪
50		▪	▪	▪

Matica	Zn	
	-	DIN 6923



M	h	m	s	cijena
4	4	9,4	6	▪
5	5	11,8	8	▪
6	6	14,2	10	▪
8	8	17,9	13	▪
10	10	21,8	15	▪
12	12	26	18	▪
16	16	32	24	▪

Matica	Zn	
	8.8, 10.9	
	-	DIN 6925




M	H max	M min	s	cijena
5	5,1	2,75	8	▪
6	6	3,3	10	▪
8	8	4,4	13	▪
10	10	5,5	16	▪
12	12	6,6	18	▪
16	16	8,8	24	▪

Vijak za lim - samorezni

Zn

-

DIN 6928




l	k	s	d	cijena
19	6,3	10	6,25	▪
25	6,3	10	6,25	▪
32	6,3	10	6,25	▪
40	6,3	10	6,25	▪
50	6,3	10	6,25	▪
60	6,3	10	6,25	▪
80	6,3	10	6,25	▪
100	6,3	10	6,25	▪
110	6,3	10	6,25	▪
120	6,3	10	6,25	▪
130	6,3	10	6,25	▪
140	6,3	10	6,25	▪
150	6,3	10	6,25	▪

Blok zakovica - obična, široka


HRN

DIN 7337



d x L	φ svrdla	Cijene po upitu!			Pakiranje komada
		Al	Fe	Cu	
3,2 x 6	3,3	▪	▪	▪	1000
3,2 x 8		▪	▪	▪	
3,2 x 10		▪	▪	▪	
3,2 x 12		▪	▪	▪	
3,2 x 14		▪	▪	▪	
3,2 x 16		▪	▪	▪	
4 x 6	4,1	▪	▪	▪	1000
4 x 8		▪	▪	▪	
4 x 10		▪	▪	▪	
4 x 12		▪	▪	▪	
4 x 14		▪	▪	▪	
4 x 16		▪	▪	▪	
4 x 18		▪	▪	▪	
4 x 20		▪	▪	▪	
4 x 25		▪	▪	▪	
4,8 x 8	4,9	▪	▪	▪	500
4,8 x 10		▪	▪	▪	
4,8 x 12		▪	▪	▪	
4,8 x 14		▪	▪	▪	
4,8 x 16		▪	▪	▪	
4,8 x 18		▪	▪	▪	
4,8 x 20		▪	▪	▪	
4,8 x 26		▪	▪	▪	
4,8 x 30		▪	▪	▪	
6 x 12	6,3	▪	▪	▪	250
6 x 15		▪	▪	▪	
6 x 18		▪	▪	▪	
6 x 26		▪	▪	▪	
6 x 30		▪	▪	▪	
7,8 x 25	8	▪	▪	▪	

Zakovica - oblik B	Cu	
	-	DIN 7338



d	3	4	5	6	8
d2	5,5	7,5	9,5	11,5	15,5
d3 min	2,85	3,8	4,8	5,8	7,75
d4	1,7	2,7	3,5	4,2	6
e max	1,5	2	2,5	3	4
k	0,8	1	1	1,2	1,2
r max	0,2	0,3	0,3	0,4	0,4
s	0,5	0,5	0,6	0,75	1,2


d	3	4	5	6	8
8	▪	▪	▪	▪	▪
10	▪	▪	▪	▪	▪
12	▪	▪	▪	▪	▪
15	▪	▪	▪	▪	▪
18	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪
25	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪

Zakovica - oblik C

Cu

-


DIN 7338



d	3	4	5	6	8
d2	5,5	7,5	9,5	11,5	15,5
d3 min	2,85	3,8	4,8	5,8	7,75
d4	1,7	2,7	3,5	4,2	6
e max	1,5	2	2,5	3	4
k	0,8	1	1	1,2	1,2
r max	0,2	0,3	0,3	0,4	0,4
s	0,5	0,5	0,6	0,75	1,2


d	3	4	5	6	8
8	▪	▪	▪	▪	▪
10	▪	▪	▪	▪	▪
12	▪	▪	▪	▪	▪
15	▪	▪	▪	▪	▪
18	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪
25	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪

Podloška	Fe,Zn	
	-	DIN 7349



M	d1	d2	s	cijena
3	3,2	9	1	▪
4	4,3	12	1,6	▪
5	5,3	15	2	▪
6	6,4	17	3	▪
8	8,4	21	4	▪
10	10,5	25	4	▪
12	13	30	6	▪
14	15	36	6	▪
16	17	40	6	▪
18	19	44	8	▪
20	21	44	8	▪
22	23	50	8	▪
24	25	50	10	▪
27	28	60	10	▪
30	31	68	10	▪


Imbus vijak ravna lečasta glava	Fe,Zn, 10,9	
	ISO 7380	-



d1	M 4	M 5	M 6	M 8	M 10	M 12
dk	7,5	9,5	10,5	14	17,5	21
dc	8,85	11,2	13	17,1	21	23,6
k	2,2	2,75	3,3	4,4	5,5	6,6
s	2,5	3	4	5	6	8

d	4	5	6	8	10	12
6	▪	▪				
8	▪	▪				
10	▪	▪	▪			
12	▪	▪	▪			
16	▪	▪	▪	▪		
20	▪	▪	▪	▪	▪	
25	▪	▪	▪	▪	▪	
30		▪	▪	▪	▪	
35		▪	▪	▪	▪	▪
40		▪	▪	▪	▪	▪
45				▪	▪	▪
50				▪	▪	▪


Imbus vijak s podloškom ravna lećasta glava	Fe,Zn, 10,9	
	ISO 7380 P	-



d1	M 4	M 5	M 6	M 8	M 10	M 12
A	9,4	11,8	13,6	17,8	21,9	-
k	2,2	2,75	3,3	4,4	5,5	-
s	2,5	3	4	5	6	8

d	4	5	6	8	10	12
6	▪	▪				
8	▪	▪				
10	▪	▪	▪			
12	▪	▪	▪			
16	▪	▪	▪	▪		
20	▪	▪	▪	▪	▪	
25	▪	▪	▪	▪	▪	
30		▪	▪	▪	▪	
35		▪	▪	▪	▪	▪
40		▪	▪	▪	▪	▪
45				▪	▪	▪
50				▪	▪	▪


Vijak SAMOREZNI šesterokutna glava, oblik D	Zn	
	-	DIN 7500



d	M 4	M 5	M 6	M 8
s	7	8	10	13
dc	8,1	1,10	12,6	16,4
c	0,55	0,75	0,9	1,2
k	3,1	3,8	4,6	6

d	4	5	6	8
6	▪	▪		
8	▪	▪		
10	▪	▪	▪	
12	▪	▪	▪	
16	▪	▪	▪	▪
20	▪	▪	▪	▪
25	▪	▪	▪	▪
30		▪	▪	▪


Vijak SAMOREZNI šesterokutna glava, oblik C	Zn	
	-	DIN 7500



d	M 4	M 5	M 6
max fi bušenja	2,8	3,2	4
bit PZ	2	2	3
dk max	8	10	12
k max	3,1	3,8	4,6

d	4	5	6
6	▪	▪	
8	▪	▪	
10	▪	▪	▪
12	▪	▪	▪
16	▪	▪	▪
20	▪	▪	▪
25	▪	▪	▪

Vijak SAMOREZNI šesterokutna glava, oblik M	Zn	
	-	DIN 7500



d	M 4	M 5	M 6
bit PZ	2	2	3
dk max	7,5	9,2	11
k max	2,2	2,5	3


d	4	5	6
8	▪	▪	
10	▪	▪	
12	▪	▪	▪
16	▪	▪	▪
20		▪	▪
25			▪

Vijak SAMOBUŠEĆI

Zn

-

DIN 7504-K



d1	3,5	3,9	4,2	4,8	5,5	6,3
Za debljinu lima	0,7-2,25	0,7-2,25	1,75-3,0	1,75-3,0	1,75-4,4	2,0-6,0
dp max	2,8	2,8	3,6	4,1	4,8	5,8
dc max	8,3	8,3	8,8	10,5	11,0	13,5
k max	3,4	3,4	4,1	4,3	5,4	5,9
s	5,5	5,5	7,0	8,0	8,0	10,0


d	3,5	3,9	4,2	4,8	5,5	6,3
10	▪	▪				
13	▪	▪				
16	▪	▪	▪	▪		
19	▪	▪	▪	▪	▪	▪
22	▪	▪	▪	▪	▪	▪
25	▪	▪	▪	▪	▪	▪
32	▪	▪	▪	▪	▪	▪
38		▪	▪	▪	▪	▪
45		▪	▪	▪	▪	▪
50		▪	▪	▪	▪	▪
60					▪	▪
70					▪	▪
80						▪
90						▪
100						▪
110						▪
120						▪
130						▪
140						▪
150						▪
160						▪
170						▪
180						▪
190						▪
200						▪
220						▪

Vijak SAMOBUŠEĆI

Zn

-

DIN 7504-N



d1	2,9	3,5	3,9	4,2	4,8	5,5	6,3
Za debljinu lima	0,7-1,9	0,7-2,25	0,7-2,4	1,75-3,0	1,75-4,4	1,75-5,25	2,0-6,0
dp max	2,3	2,8	3,1	3,6	4,1	4,8	5,8
dc max	5,6	6,9	7,8	8,2	9,5	10,8	12,5
k max	2,2	2,6	2,8	3,1	3,7	4,0	4,6
bit PH	1	2	2	2	2	3	3


d	2,9	3,5	3,9	4,2	4,8	5,5	6,3
13	▪	▪	▪				
16	▪	▪	▪	▪	▪		
19	▪	▪	▪	▪	▪	▪	
22		▪	▪	▪	▪	▪	▪
25		▪	▪	▪	▪	▪	▪
32		▪	▪	▪	▪	▪	▪
38			▪	▪	▪	▪	▪
45			▪	▪	▪	▪	▪
50			▪	▪	▪	▪	▪

Vijak SAMOBUŠEĆI

Zn

-

DIN 7504-P



d1	2,9	3,5	3,9	4,2	4,8	5,5	6,3
Za debljinu lima	0,7-1,9	0,7-2,25	0,7-2,4	1,75-3,0	1,75-4,4	1,75-5,25	2,0-6,0
dp max	2,3	2,8	3,1	3,6	4,1	4,8	5,8
dc max	5,5	6,8	7,8	8,1	9,5	10,8	12,4
k max	1,7	2,1	2,8	2,5	3,0	3,4	3,8
bit PH	1	2	2	2	2	3	3


d	2,9	3,5	3,9	4,2	4,8	5,5	6,3
13	▪	▪	▪				
16	▪	▪	▪	▪			
19	▪	▪	▪	▪	▪		
22		▪	▪	▪	▪		
25		▪	▪	▪	▪	▪	▪
32		▪	▪	▪	▪	▪	▪
38			▪	▪	▪	▪	▪
45			▪	▪	▪	▪	▪
50			▪	▪	▪	▪	▪
60						▪	▪
70							▪

Matica SIGURNOSNA niska

Zn

-

DIN 7967




M	d	m	s	t	cijena
6	5,3	3	10	0,4	▪
8	6,9	3,5	13	0,5	▪
10	8,6	4	17	0,5	▪
12	10,4	4,5	19	0,6	▪
14	12	5	22	0,6	▪
16	14,1	5	24	0,7	▪
20	17,6	6	30	0,8	▪
22	19,6	6	32	0,8	▪
24	21	7	36	0,9	▪

IVER vijak

Zn

-

DIN 7505




ϕ/L	2,4	3	3,5	4	4,5	5	6
10	.	.	.	.	.	.	.
12	.	.	.	.	.	.	.
16	.	.	.	.	.	.	.
20	.	.	.	.	.	.	.
25	.	.	.	.	.	.	.
30	.	.	.	.	.	.	.
35	.	.	.	.	.	.	.
40	.	.	.	.	.	.	.
45	.	.	.	.	.	.	.
50	.	.	.	.	.	.	.
55	.	.	.	.	.	.	.
60	.	.	.	.	.	.	.
70	.	.	.	.	.	.	.
80	.	.	.	.	.	.	.
90	.	.	.	.	.	.	.
100	.	.	.	.	.	.	.
110	.	.	.	.	.	.	.
120	.	.	.	.	.	.	.
130	.	.	.	.	.	.	.
140	.	.	.	.	.	.	.
150	.	.	.	.	.	.	.
160	.	.	.	.	.	.	.
170	.	.	.	.	.	.	.
180	.	.	.	.	.	.	.
190	.	.	.	.	.	.	.
200	.	.	.	.	.	.	.

Kapice za iver vijke	PVC	



boja	PZ -1	PZ - 2	PZ - 3
bež	▪	▪	
bijela	▪	▪	
siva	▪	▪	▪
Crna	▪	▪	▪
žuta	▪	▪	▪
smeđa	▪	▪	▪
crvena	▪	▪	▪


Vijak za lim	Zn	
	ISO 1481	DIN 7971



d	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
dk	4,2/4	5,6	6,9/7	7,5	8,2/8	9,5	10,8/11	12,5/12
k	1,35/13	1,75/1,8	2,1	2,25	2,45/2,4	2,8/3	3,2	3,65/3,6
n	0,6	0,8	1	1	1,2	1,2	1,6	1,6
t	0,55	1,75	0,95	1,05	1,15	1,35	1,55	1,8
y	2	2,6	3,2	3,2	3,7	4,2	5	6

d	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	▪							
6,5	▪	▪	▪	▪				
9,5	▪	▪	▪	▪	▪	▪	▪	
13	▪	▪	▪	▪	▪	▪	▪	▪
16		▪	▪	▪	▪	▪	▪	▪
19		▪	▪	▪	▪	▪	▪	▪
22		▪	▪	▪	▪	▪	▪	▪
25		▪	▪	▪	▪	▪	▪	▪
32		▪	▪	▪	▪	▪	▪	▪
38			▪	▪	▪	▪	▪	▪
45				▪	▪	▪	▪	▪
50				▪	▪	▪	▪	▪
60					▪	▪	▪	▪


Vijak za lim	Zn	
	ISO 1482	DIN 7972



d	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
dk	4,3/4,4	5,5/6,3	6,8/8,2	7,5	8,1/9,2	9,5/10,4	10,8/11,5	12,4/12,6
k	1,3/1,1	1,7	2,1/2,35	2,3	2,5/2,6	3/2,8	3,4/3	3,8/3,15
n	0,6	0,8	1	1	1,2	1,2	1,6	1,6
t	0,55	1,75	0,95	1,05	1,15	1,35	1,55	1,8
y	2	2,6	3,2	3,2	3,7	4,2	5	6

d	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	▪							
6,5	▪	▪	▪	▪				
9,5	▪	▪	▪	▪	▪	▪	▪	
13	▪	▪	▪	▪	▪	▪	▪	▪
16		▪	▪	▪	▪	▪	▪	▪
19		▪	▪	▪	▪	▪	▪	▪
22		▪	▪	▪	▪	▪	▪	▪
25		▪	▪	▪	▪	▪	▪	▪
32		▪	▪	▪	▪	▪	▪	▪
38			▪	▪	▪	▪	▪	▪
45				▪	▪	▪	▪	▪
50				▪	▪	▪	▪	▪
60					▪	▪	▪	▪


Vijak za lim	Zn	
	ISO 1483	DIN 7973



d	2,2	2,9	3,5	3,9	4,2	4,8	5,5
dk	4,3/4,4	5,5/6,3	6,8/8,2	7,5	8,1/9,2	9,5/10,4	10,8/11,5
f	0,7/0,5	0,9/0,7	1,2/0,3	1,3	1,4/1	1,5/1,2	1,7/1,3
k	1,3/1,1	1,7	2,1/2,35	2,3	2,5/2,6	3/2,8	3,4/3
n	0,5	0,8	1	1	1,2	1,2	1,6
t	0,8	1,2	1,4	1,7	1,6	2	2,2
y	2	2,6	3,2	3,2	3,7	4,2	5

d	2,2	2,9	3,5	3,9	4,2	4,8	5,5
4,5	▪						
6,5	▪	▪	▪	▪			
9,5	▪	▪	▪	▪	▪	▪	▪
13	▪	▪	▪	▪	▪	▪	▪
16		▪	▪	▪	▪	▪	▪
19		▪	▪	▪	▪	▪	▪
22		▪	▪	▪	▪	▪	▪
25		▪	▪	▪	▪	▪	▪
32		▪	▪	▪	▪	▪	▪
38			▪	▪	▪	▪	▪
45				▪	▪	▪	▪
50				▪	▪	▪	▪
60					▪	▪	▪


Vijak za lim	Zn	
	ISO 1479	DIN 7976



d	2,9	3,5	3,9	4,2	4,8	5,5	6,3	8
k	1,3/1,1	1,7	2,1/2,35	2,3	2,5/2,6	3/2,8	4,8/47	5,8/6
s	0,8	1,2	1,4	1,7	1,6	2	10	13
y	2	2,6	3,2	3,2	3,7	4,2	6	7,5

d	2,2	2,9	3,5	3,9	4,2	4,8	6,3	8
6,5	▪							
9,5	▪	▪	▪	▪				
13	▪	▪	▪	▪	▪	▪		▪
16	▪	▪	▪	▪	▪	▪	▪	▪
19		▪	▪	▪	▪	▪	▪	▪
22		▪	▪	▪	▪	▪	▪	▪
25		▪	▪	▪	▪	▪	▪	▪
32		▪	▪	▪	▪	▪	▪	▪
38		▪	▪	▪	▪	▪	▪	▪
45			▪	▪	▪	▪	▪	
50				▪	▪	▪	▪	
60				▪	▪	▪	▪	
60					▪	▪	▪	
70							▪	
80							▪	
90							▪	
100							▪	
110							▪	
120							▪	
130							▪	
140							▪	
150							▪	
160							▪	
170							▪	
180							▪	
190							▪	
200							▪	
220							▪	


Zatik - KONUSNI	Fe	
	-	DIN 7977



d1	5	6	8	10	12	14	16	20
b	14	18	22	24	27	30	35	35
a	2,4	3	4	4,5	5,3	6	6	6
d2	M 5	M6	M 8	M 10	M 12	M 14	M 16	M 20

d1	5	6	8	10	12	14	16	20
40	▪	▪	▪	▪	▪	▪	▪	▪
45	▪	▪	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪	▪	▪
55	▪	▪	▪	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪	▪	▪	▪
65	▪	▪	▪	▪	▪	▪	▪	▪
75	▪	▪	▪	▪	▪	▪	▪	▪
85	▪	▪	▪	▪	▪	▪	▪	▪
100	▪	▪	▪	▪	▪	▪	▪	▪
120	▪	▪	▪	▪	▪	▪	▪	▪
140	▪	▪	▪	▪	▪	▪	▪	▪
160	▪	▪	▪	▪	▪	▪	▪	▪


Zatik – KONUSNI s unutarnjim navojem	Fe	
	ISO 8736	DIN 7978



d1	6	8	10	12	16	20
a	0,8	1	1,2	1,6	2	2,5
d2	M 4	M 5	M 6	M 8	M 10	M 12
t1	6	8	10	12	16	18
t2	10	12	16	20	25	27

d1	6	8	10	12	16	20
20	▪	▪	▪	▪	▪	▪
24	▪	▪	▪	▪	▪	▪
26	▪	▪	▪	▪	▪	▪
28	▪	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪	▪
32	▪	▪	▪	▪	▪	▪
36	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪
45	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪
55	▪	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪	▪
70	▪	▪	▪	▪	▪	▪
80	▪	▪	▪	▪	▪	▪
90	▪	▪	▪	▪	▪	▪
100	▪	▪	▪	▪	▪	▪
120	▪	▪	▪	▪	▪	▪


Zatik – CILINDRIČNI s unutarnjim navojem	Fe	
	ISO 8733	DIN 7979



d1	6	8	10	12	16	20
a	0,8	1	1,2	1,6	2	2,5
c1	0,6	0,8	1	1,2	1,6	2
c2	2,1	2,6	3	3,8	4,7	6
d2	M 4	M 5	M 6	M 6	M 8	M 10
t1	6	8	10	10	12	16
t2	10	12	16	16	20	25


d1	6	8	10	12	16	20
14	▪	▪	▪	▪	▪	▪
16	▪	▪	▪	▪	▪	▪
18	▪	▪	▪	▪	▪	▪
20	▪	▪	▪	▪	▪	▪
24	▪	▪	▪	▪	▪	▪
28	▪	▪	▪	▪	▪	▪
30	▪	▪	▪	▪	▪	▪
32	▪	▪	▪	▪	▪	▪
36	▪	▪	▪	▪	▪	▪
40	▪	▪	▪	▪	▪	▪
45	▪	▪	▪	▪	▪	▪
50	▪	▪	▪	▪	▪	▪
55	▪	▪	▪	▪	▪	▪
60	▪	▪	▪	▪	▪	▪
70	▪	▪	▪	▪	▪	▪
80	▪	▪	▪	▪	▪	▪
100	▪	▪	▪	▪	▪	▪

Podloška opružna za imbus vijke	Zn, Mesing	
	INOX A2, A4	
		DIN 7980



	d1	d2	s	h	cijena
A 3	3,1	5,6	1	2	▪
A 4	4,1	7	1,2	2,4	▪
A 5	5,1	8,8	1,6	3,2	▪
A 6	6,1	9,9	1,6	3,2	▪
A 8	8,1	12,7	2	4	▪
A 10	10,2	16	2,5	5	▪
A 12	12,2	18	2,5	5	▪
A 14	14,2	21,1	3	6	▪
A 16	16,2	24,4	3,5	7	▪
A 18	18,2	26,4	3,5	7	▪
A 20	20,2	30,6	4,5	9	▪
A 24	24,5	35,9	5	10	▪


Vijak za lim	Zn	
	ISO 7049	DIN 7981



d	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
dk	4,2/4	5,6	6,9/7	7,5	8,2/8	9,5	10,8/11	12,5/12
k	1,35/13	1,75/1,8	2,1	2,25	2,45/2,4	2,8/3	3,2	3,65/3,6
n	0,6	0,8	1	1	1,2	1,2	1,6	1,6
t	0,55	1,75	0,95	1,05	1,15	1,35	1,55	1,8
y	2	2,6	3,2	3,2	3,7	4,2	5	6

d	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	▪							
6,5	▪	▪	▪	▪				
9,5	▪	▪	▪	▪	▪	▪	▪	
13	▪	▪	▪	▪	▪	▪	▪	▪
16		▪	▪	▪	▪	▪	▪	▪
19		▪	▪	▪	▪	▪	▪	▪
22		▪	▪	▪	▪	▪	▪	▪
25		▪	▪	▪	▪	▪	▪	▪
32		▪	▪	▪	▪	▪	▪	▪
38			▪	▪	▪	▪	▪	▪
45				▪	▪	▪	▪	▪
50				▪	▪	▪	▪	▪
60					▪	▪	▪	▪


Vijak za lim	Zn	
	ISO 7050	DIN 7982



d	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
dk	4,3/4,4	5,5/6,3	6,8/8,2	7,5	8,1/9,2	9,5/10,4	10,8/11,5	12,4/12,6
k	1,3/1,1	1,7	2,1/2,35	2,3	2,5/2,6	3/2,8	3,4/3	3,8/3,15
n	0,6	0,8	1	1	1,2	1,2	1,6	1,6
t	0,55	1,75	0,95	1,05	1,15	1,35	1,55	1,8
y	2	2,6	3,2	3,2	3,7	4,2	5	6

d	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
4,5	▪							
6,5	▪	▪	▪	▪				
9,5	▪	▪	▪	▪	▪	▪	▪	
13	▪	▪	▪	▪	▪	▪	▪	▪
16		▪	▪	▪	▪	▪	▪	▪
19		▪	▪	▪	▪	▪	▪	▪
22		▪	▪	▪	▪	▪	▪	▪
25		▪	▪	▪	▪	▪	▪	▪
32		▪	▪	▪	▪	▪	▪	▪
38			▪	▪	▪	▪	▪	▪
45				▪	▪	▪	▪	▪
50				▪	▪	▪	▪	▪
60					▪	▪	▪	▪


Vijak za lim	Zn	
	ISO 7051	DIN 7983



d	2,2	2,9	3,5	3,9	4,2	4,8	5,5
dk	4,3/4,4	5,5/6,3	6,8/8,2	7,5	8,1/9,2	9,5/10,4	10,8/11,5
f	0,7/0,5	0,9/0,7	1,2/0,3	1,3	1,4/1	1,5/1,2	1,7/1,3
k	1,3/1,1	1,7	2,1/2,35	2,3	2,5/2,6	3/2,8	3,4/3
n	0,5	0,8	1	1	1,2	1,2	1,6
t	0,8	1,2	1,4	1,7	1,6	2	2,2
y	2	2,6	3,2	3,2	3,7	4,2	5

d	2,2	2,9	3,5	3,9	4,2	4,8	5,5
4,5	▪						
6,5	▪	▪	▪	▪			
9,5	▪	▪	▪	▪	▪	▪	▪
13	▪	▪	▪	▪	▪	▪	▪
16		▪	▪	▪	▪	▪	▪
19		▪	▪	▪	▪	▪	▪
22		▪	▪	▪	▪	▪	▪
25		▪	▪	▪	▪	▪	▪
32		▪	▪	▪	▪	▪	▪
38			▪	▪	▪	▪	▪
45				▪	▪	▪	▪
50				▪	▪	▪	▪
60					▪	▪	▪


Vijak IMBUS niska glava	Fe, Zn - 8.8, 10.9, 12.9	
	INOX A2, A4	
	-	DIN 7984



d	4	5	6	8	10	12	16	20	24
dk	7	8,5	10	13	16	18	24	30	36
k	2,5	3,5	4	5	6	7	9	11	13
S	2,5	3	4	5	7	8	12	14	19
b1<125	14	16	18	22	26	30	38	46	54
b1<200	-	-	-	28	32	36	44	52	60
b1>200	-	-	-	-	-	-	57	65	73

M/L	4	5	6	8	10	12	16	20	24
6	▪	▪							
8	▪	▪							
10	▪	▪	▪						
12	▪	▪	▪						
14	▪	▪	▪						
16	▪	▪	▪	▪	▪				
18	▪	▪	▪	▪	▪				
20	▪	▪	▪	▪	▪				
22	▪	▪	▪	▪	▪	▪	▪		
25	▪	▪	▪	▪	▪	▪	▪		
30	▪	▪	▪	▪	▪	▪	▪	▪	▪
35			▪	▪	▪	▪	▪	▪	▪
40			▪	▪	▪	▪	▪	▪	▪
45			▪	▪	▪	▪	▪	▪	▪
50			▪	▪	▪	▪	▪	▪	▪
55						▪	▪	▪	▪
60						▪	▪	▪	▪
65						▪	▪	▪	▪
70						▪	▪	▪	▪
75						▪	▪	▪	▪
80							▪	▪	▪


Vijak cilindrična glava	Fe, Zn	
	INOX A2, A4	
	ISO 7045	DIN 7985



d	M2	M2,5	M3	M4	M5	M6	M8
dk	7	8,5	10	13	16	18	36
k	2,5	3,5	4	5	6	7	13
S	2,5	3	4	5	7	8	79
b1<125	14	16	18	22	26	30	54
b1<200	-	-	-	28	32	36	60
b1>200	-	-	-	-	-	-	73


M/L	2	2,5	3	4	5	6	8
4	▪	▪					
5	▪	▪					
6	▪	▪	▪				
8	▪	▪	▪				
10	▪	▪	▪				
12	▪	▪	▪	▪	▪		
14	▪	▪	▪	▪	▪		
16	▪	▪	▪	▪	▪		
18	▪	▪	▪	▪	▪	▪	
20	▪	▪	▪	▪	▪	▪	
25	▪	▪	▪	▪	▪	▪	▪
30			▪	▪	▪	▪	▪
35			▪	▪	▪	▪	▪
40			▪	▪	▪	▪	▪
45			▪	▪	▪	▪	▪
50						▪	▪
55						▪	▪
60						▪	▪

Podloška ODSTOJNA	Fe,VZn	
	-	DIN 7989



M	d1	d2	s	cijena
10	11	20	8	▪
12	13,5	24	8	▪
16	17,5	30	8	▪
20	22	37	8	▪
22	24	39	8	▪
24	26	44	8	▪
27	30	50	8	▪
30	33	56	8	▪
33	36	60	8	▪
36	39	66	8	▪


Vijak IMBUS - upuštena glava	Fe, Zn - 8.8, 10.9, INOX A2, A4												
	-						DIN 7991						



d1	3	4	5	6	8	10	12	14	16	18	20	22	24
dk	6,72	8,96	10,2	13,44	17,92	22,4	26,8	30,88	33,6	33,6	36	36	39
k	1,86	2,48	3,1	3,72	4,96	6,2	7,44	8,4	8,8	9,5	10,16	13,1	14
s	2	2,5	3	4	5	6	8	10	10	12	12	14	14
a	90	90	90	90	90	90	90	90	90	90	90	90	90
b	18	20	22	24	28	32	36	40	44	48	52	56	60

M/L	3	4	5	6	8	10	12	14	16	18	20	22	24
6	■	■	■	■	■								
8	■	■	■	■	■	■							
10	■	■	■	■	■	■							
12	■	■	■	■	■	■							
14	■	■	■	■	■	■							
16	■	■	■	■	■	■							
18	■	■	■	■	■	■							
20	■	■	■	■	■	■	■	■	■	■	■	■	■
22	■	■	■	■	■	■	■	■	■	■	■	■	■
25	■	■	■	■	■	■	■	■	■	■	■	■	■
30	■	■	■	■	■	■	■	■	■	■	■	■	■
35	■	■	■	■	■	■	■	■	■	■	■	■	■
40	■	■	■	■	■	■	■	■	■	■	■	■	■
45			■	■	■	■	■	■	■	■	■	■	■
50			■	■	■	■	■	■	■	■	■	■	■
55			■	■	■	■	■	■	■	■	■	■	■
60			■	■	■	■	■	■	■	■	■	■	■
65			■	■	■	■	■	■	■	■	■	■	■
70			■	■	■	■	■	■	■	■	■	■	■
75			■	■	■	■	■	■	■	■	■	■	■
80			■	■	■	■	■	■	■	■	■	■	■
85			■	■	■	■	■	■	■	■	■	■	■
90				■	■	■	■	■	■	■	■	■	■
100				■	■	■	■	■	■	■	■	■	■
110				■	■	■	■	■	■	■	■	■	■
120				■	■	■	■	■	■	■	■	■	■
130					■	■	■	■	■	■	■	■	■
140					■	■	■	■	■	■	■	■	■
150					■	■	■	■	■	■	■	■	■


Vijak za drvo	Zn, Mesing	
	-	DIN 7997



d1	4	4,5	5	6
d2	8	9	10	12
n	1	1	1,2	1,6
k	2,8	3,1	3,5	4,2


d1/l	4	4,5	5	6
20	▪	▪	▪	▪
25	▪	▪	▪	▪
30	▪	▪	▪	▪
35	▪	▪	▪	▪
40	▪	▪	▪	▪
50	▪	▪	▪	▪
60	▪	▪	▪	▪
70	▪	▪	▪	▪
80	▪	▪	▪	▪
90	▪	▪	▪	▪
100	▪	▪	▪	▪
120	▪	▪	▪	▪

Podloška ŠIROKA	Fe,Zn	
	INOX A2, A4	
	ISO 7093	DIN 9021




M	d1	d2	s	cijena
3	3,2	9	0,8	▪
4	4,3	12	1	▪
5	5,3	15	1,2	▪
6	6,4	18	1,6	▪
8	8,4	24	2	▪
10	10,5	30	2,5	▪
12	13	37	3	▪
14	15	44	3	▪
16	17	50	3	▪
18	20	56	4	▪
20	20	60	4	▪
24	26	72	5	▪

Podloška KARO karoserijska	Fe,Zn	
	INOX A2, A4	
	-	DIN 88104




M	d1	d2	s	cijena
3	3,2	20	1,25	▪
4	4,3	15	1,25	▪
4	4,3	20	1,25	▪
4	4,3	25	1,25	▪
5	5,3	20	1,5	▪
5	5,3	25	1,5	▪
5	5,3	30	1,5	▪
6	6,4	20	1,5	▪
6	6,4	25	1,5	▪
6	6,4	30	1,5	▪
6	6,4	35	1,5	▪
8	8,4	20	1,5	▪
8	8,4	25	1,5	▪
8	8,4	30	1,5	▪
8	8,4	35	1,5	▪
8	8,4	40	1,5	▪
10	10,5	25	1,5	▪
10	10,5	30	1,5	▪
10	10,5	35	1,5	▪
10	10,5	40	1,5	▪
12	12,5	30	1,5	▪
12	12,5	35	1,5	▪
12	12,5	40	1,5	▪

Rascjepka	Zn	
	-	DIN 11024



d 1	d 2	l 1	l 2	d 3	d 4	cijena
2	10	50	25	2,5	9-14	▪
3	18	60	28	3,5	10-16	▪
4	20	60	30	4,5	16-20	▪
5	24	85	40	6	20-28	▪
6	30	105	50	7	28-40	▪
7	30	105	50	8	28-45	▪
8	28	110	55	9	30-45	▪

Osigurač preklopni	Zn	
	-	-



d	f	c	l	cijena
4,5	3,4	41	42	▪
6	3,4	41	42	▪
7	3,4	41	42	▪
8	3,4	41	42	▪
9	3,4	41	42	▪
10	3,4	41	42	▪
11	3,4	41	42	▪

KATALOG

STEZNA I MONTAŽNA TEHNIKA
2017 / 2018

Megaspel d.o.o.
www.megaspel.hr

info@megaspel.hr
T: +385 42 303 933
M: +385 99 223 2300